TECHNICAL REPORT FOR THE HOT SPRINGS RANGE PROJECT, HUMBOLDT COUNTY, NEVADA, USA



Prepared For: Eminent Gold Corp.

Suite 1740, 1177 West Hastings Street Vancouver, British Columbia, Canada

V6E 2K3

Prepared by: APEX Geoscience Ltd.

100-11450 160th Street NW Edmonton, Alberta, Canada

T5M 3Y7





Michael Dufresne, M.Sc., P.Geol., P.Geo. Effective Date: June 1st, 2022 Signing Date: June 10th, 2022

Contents

| 1 | Summary | 1 |
|----|--|----------|
| 2 | Introduction | 4 |
| | 2.1 Issuer and Purpose | 4 |
| | 2.2 Author and Site Inspection | 6 |
| | 2.3 Sources of Information | 6 |
| | 2.4 Units of Measure | 6 |
| 3 | Reliance on Other Experts | |
| 4 | Property Description and Location | |
| | 4.1 Description and Location | |
| | 4.2 Royalties and Agreements | <u>e</u> |
| | 4.3 Environmental Liabilities, Permitting and Significant Factors | g |
| 5 | Accessibility, Climate, Local Resources, Infrastructure and Physiography | |
| | 5.1 Accessibility | 10 |
| | 5.2 Site Topography, Elevation and Vegetation | 10 |
| | 5.3 Climate | |
| | 5.4 Local Resources and Infrastructure | 10 |
| 6 | History | 11 |
| 7 | Geological Setting and Mineralization | 11 |
| | 7.1 Regional Geology | |
| | 7.2 Property Geology | |
| | 7.3 Mineralization | 20 |
| 8 | Deposit Types | 20 |
| 9 | Exploration | 22 |
| | 9.1 Exploration Overview | |
| | 9.2 Geochemical Sampling | |
| | 9.3 Geological Mapping | |
| | 9.4 CSAMT Geophysics | |
| | 9.5 Photogrammetry & Digital Terrain Model | |
| | 9.6 Exploration Synthesis | |
| 10 | Drilling | |
| 11 | Sample Preparation, Analyses and Security | 33 |
| | 11.1 Sample Collection, Preparation and Security | |
| | 11.2 Analytical Procedures | |
| | 11.3 Quality Assurance – Quality Control | |
| | 11.4 Adequacy of Sample Collection, Preparation, Security and Analytical | |
| | Procedures | 36 |
| 12 | Data Verification | |
| | 12.1 Qualified Person Site Inspection | 37 |
| 13 | Mineral Processing and Metallurgical Testing | |
| | Mineral Resource Estimates | |
| | Adjacent Properties | |
| | Other Relevant Data and Information | |
| | Interpretation and Conclusions | |
| | 25.1 Results and Interpretations | |
| | | |

| | 25.2 Risks and Uncertainties | 43 |
|--------------------------|---|--|
| | References Certificate of Author | |
| Tal | oles | |
| Tal Tal | ble 9.1. Rock Sample Assay Highlights from the Otis Target | 24 24 37 |
| Fig | ures | |
| Fig | ure 2.1. Hot Springs Range Property location. ure 4.1. Mineral claims for the Hot Springs Range Property. ure 7.1. Regional Geology of the Hot Springs Range Property showing the Getchel Trend and northern portion of the Carlin and Battle Mountain structural trend | 8 II Is. |
| Fig Fig Fig | ure 7.2. Regional Geology and the Hot Springs Range Property relative to the Twir Creeks and Turquoise Ridge mines. ure 7.3. Local geology of the Hot Springs Range Property. ure 7.4. Detailed geology of the Hot Springs Range Property (after Jones, 1997) ure 9.1 2022 exploration summary for the HSRP (geology after Jones, 1997) ure. 9.2. Map showing the 125-meter spaced soil sample grid showing distinct gold and arsenic-in-soil anomalies at the Otis target. ure 9.3a Synthesis of exploration results at the Otis Target. Section trace A-A' is fo the CSAMT cross section shown in Figure. 9.6. ure 9.3.b Results of geochemical sampling at the Eden target area. Section B-B' shows the process by which geochemical anomalies can be expressed on | 15 17 18 23 1 25 1 26 |
| Fig Fig Fig Fig | younger reactivated faults | 27 28 30 31 32 st |
| Fig | ure 11.1 Soil Sample Standard MEG Au 13.04 QA/QC resultsure 11.2 Soil Sample Blank Standard QA/QC resultsure 23.1. EMNT's Hot Springs Range Project Adjacent Properties | 36 |

1 Summary

Eminent Gold Corp.'s ("Eminent", "EMNT" or the "Company") Hot Springs Range Project ("HSRP" or the "Property") is situated in Humboldt County, Nevada (NV), United States of America (USA) at the northern extent of the Hot Springs Range and east in the Eden Valley. The Property is located approximately 50 kilometres (km) (31 miles) northeast of the town of Winnemucca and 22 km (13.75 miles) east of Paradise Valley. The HSRP previously comprised two blocks of claims that have been joined by further staking. The united block now consists of 419 unpatented lode mineral claims totaling approximately 3,503 hectares (ha) (8,656 acres). One block, comprising 168 claims, is owned by Milliard Geological Consulting, LLC ("MGC") of Lamoille, NV. The second block, comprising 251 claims, is owned by Hot Springs Resources Corp. (HOTERCO) of Reno, NV.

The Issuer, Eminent Gold Corp. (formerly Navy Resources Corp. ("Navy"), through its United States Subsidiary, HOTERCO, has entered into an option agreement with MGC to acquire a 100 per cent (%) interest in the Hot Springs Range Project. To acquire a 100% interest in the Property, EMNT must make cumulative cash payments of USD\$136,140 and cumulative share payments of 1.65 million common shares over a period of 5 years, subject to the acceptance of the TSX Venture Exchange. In addition, to complete the option EMNT must complete a one-time USD\$1.5-million-dollar payment in cash, or equivalent value in shares. EMNT is responsible for the Property holding costs for the duration of the option agreement. MGC will retain a net smelter returns royalty (NSR) of 2%. EMNT may buy a portion of the NSR at a rate of USD\$100,000 for each 0.1%, to a maximum of 1%. As of February 22, 2022, USD\$61,140 has been paid and 250,000 shares have been issued.

Mr. Dufresne of APEX Geoscience Ltd. ("APEX") of Edmonton, Alberta, Canada, was engaged in February, 2022 by EMNT to review the exploration programs conducted by EMNT and results thereof and to make recommendations for future work. This Technical Report details the results of the recent surface exploration, provides a technical summary of the relevant historical and geological information, and includes recommendations for future exploration programs at the HSRP. This Technical Report has been written on behalf of EMNT and summarizes the technical information available up to the Effective Date of June 1st, 2022.

This Technical Report has been prepared in accordance with the Canadian Securities Administration's National Instrument 43-101 Standards of Disclosure for Mineral Projects and guidelines for technical reporting Canadian Institute of Mining, Metallurgy and Petroleum "Best Practices and Reporting Guidelines" for disclosing mineral exploration.

This Technical Report has been prepared by Mr. Michael B. Dufresne, M.Sc., P. Geol., P. Geo., of APEX. Mr. Dufresne is independent of the Issuer and is a Qualified Person (QP) as defined in NI 43-101. Mr. Dufresne takes responsibility for the overall publication of all sections of this Report.

The HSRP is a Carlin-style exploration target. The exploration target is based upon the evaluation of structures and Paleozoic stratigraphy both covered and exposed in a similar structural setting to that of the Getchell Gold Trend situated approximately 21 km (15 miles) to the southeast.

Regionally, the Property is well situated near the intersection of the Getchell and Battle Mountain Gold Trends in north-central Nevada. Both trends host numerous Carlin-type gold deposits hosted within Paleozoic sedimentary rocks of the same, or similar age (stratigraphic position), to those exposed (or thought to be present beneath Quaternary cover) at the Property. Specifically, the geological setting of the Property has geological similarities to those of the nearby Turquoise Ridge and Twin Creeks gold mines. Locally, in the area immediately surrounding the Property, there are several historical mercury mines. The presence of these historical mines and occurrences indicate that a hydrothermal event has occurred in the area.

Since the onset of the program and the completion of the last technical report (Dufresne, 2020), EMNT collected 1,312 soil samples at 125-meter (m) centers at the Otis target and 79 Quaternary soil samples at the Eden target in 2020. Eminent collected 136 rock samples at the Otis target and 1 rock sample at the Eden target in 2020. In 2021 EMNT collected 82 rock samples at the Otis target. The rock sampling and geological mapping was focused on a unit of rocks known as the Home Ranch Subterrane ("HRS"), which is a unit of andesitic volcanic rocks and limestones likely deposited in a seamount environment. Eminent geologists believe this to be the likely target rock for Carlin-style mineralization, especially where it is deformed by a sub-parallel thrust fault, the Home Ranch Subterrane Thrust ("HRST"). Mapping at 1:10,000 scale has identified evidence of hydrothermal alteration in the form of quartz, hematite, and jasperoid veins and breccias that returned anomalous assays up to a maximum of 2.8 ppm Au in rock grab samples. A 2-km (1.24 miles) in diameter arsenic (As)-in-soil anomaly encompasses many of the gold rich rock samples. The anomalous area is bounded on one side by a post mineral unit of Tertiary Basalt. Three-dimensional (3D) inversion modelling of a Controlled-Source Audio-frequency Magnetotellurics (CSAMT) survey confirmed the presence and orientation of the deep-seated vertical feeder structures beneath the post mineral basalt. The combination of geochemistry, geological mapping and geophysics confirms and strengthens the target model presented in the original Technical Report (Dufresne, 2020) and indicates that drilling is warranted.

To conclude, the structural setting, with its similarities to the Turquoise Ridge and Twin Creeks mine area in the Getchell Trend, along with the presence of hydrothermal alteration and pathfinder geochemistry in Paleozoic sedimentary rocks indicates that there is potential for the presence of Carlin-style gold mineralization at the HSRP. Based upon the proximity of the Property to nearby gold deposits comprising the Getchell and Battle Mountain gold trends of northern Nevada, the presence of favourable geological characteristics on the Property, and the successful results of recent surface exploration, it is the opinion of the author of this report that the HSRP represents a reasonable target for Carlin-style gold mineralization.

To follow up on the EMNT surface and geophysical results an initial phase of drilling consisting of approximately 10 holes totalling approximately 4,500 m of diamond drilling should be completed. The drillholes should be designed to test feeder fault - thrust - host rock intersections at the Otis and Eden targets. The total cost to complete the drill program is approximately \$USD1,725,000.

2 Introduction

2.1 Issuer and Purpose

Eminent Gold Corp.'s ("Eminent", "EMNT" or the "Company") Hot Springs Range Project ("HSRP" or the "Property") is located in Humboldt County, Nevada (NV), United States of America (USA) at the northern extent of the Hot Springs Range and east in the Eden Valley. The Property is located approximately 50 kilometres (km) (31 miles) northeast of the town of Winnemucca and 22 km (13.75 miles) east of Paradise Valley (Figure 2.1). The HSRP is an early-stage exploration Property located close to the Battle Mountain and Getchell Trends of gold mineralization in north central Nevada; an area known for current and past producing mines, including the Getchell, Turquoise Ridge and Twin Creeks mines.


Mr. Dufresne of APEX Geoscience Ltd. ("APEX"), Edmonton, Alberta, Canada, was engaged in February 2022 by EMNT (formerly Navy Resources Corp. or "Navy") to complete a National Instrument (NI) 43-101 Technical Report (the "Report") pertaining to the Hot Spring Range Project. The Report details the results of recent surface exploration programs, provides a technical summary of the relevant historical and geological information of the Property, and includes recommendations for future exploration programs at the HSRP. This Technical Report has been written on behalf of EMNT and summarizes the technical information available up to the Effective Date of June 1st, 2022.

The Technical Report has been prepared in accordance with the Canadian Securities Administration's (CSA's) National Instrument 43-101 (NI 43-101) Standards of Disclosure for Mineral Projects and guidelines for technical reporting Canadian Institute of Mining, Metallurgy and Petroleum (CIM) "Best Practices and Reporting Guidelines" for disclosing mineral exploration.

The HSRP previously comprised two blocks of claims that have been joined by further staking. The united block now consists of 419 unpatented lode mineral claims totaling approximately 3,503 hectares (ha) (8,656 acres). One block, comprising 168 claims, is owned by Milliard Geological Consulting, LLC ("MGC") of Lamoille, NV. The second block, comprising 251 claims, is owned by Hot Springs Resources Corp. ("HOTERCO") of Reno, NV. The unpatented lode mineral claims are administered by the Bureau of Land Management ("BLM"), an agency within the United States Department of the Interior.

To acquire a 100% interest in the Property, EMNT must make cumulative cash payments of USD\$136,140 and cumulative share payments of 1.65 million common shares over a period of 5 years. In addition, to complete the option EMNT must complete a one-time USD\$1.5-million-dollar payment in cash, or equivalent value in shares. EMNT is responsible for the Property holding costs for the duration of the option agreement. The estimated holding cost for the 419 unpatented mineral claims is \$70,000 per year. MGC will retain a net smelter returns royalty (NSR) of 2%. Eminent may buy a portion of the NSR at a rate of USD\$100,000 for each 0.1%, to a maximum of 1%. As of February 22, 2022, USD\$61,140 has been paid and 250,000 shares have been issued to MGC.

Figure 2.1. Hot Springs Range Property location.



2.2 Author and Site Inspection

This Technical Report has been prepared by Mr. Michael Dufresne, M.Sc., P.Geol., P.Geo., a principal and senior consultant of APEX. Mr. Dufresne is independent of the Issuer and is a Qualified Person (QP) as defined in NI 43-101. Mr. Dufresne takes responsibility for the overall publication of all sections of this Report. Mr. Dufresne is a Professional Geologist with the Association of Professional Engineers and Geoscientists of Alberta (APEGA; membership number 48439), a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia (EGBC; membership number 37074) and has worked as a mineral exploration geologist for more than 35 years since his graduation from university. Mr. Dufresne has been involved in all aspects of mineral exploration and mineral resource estimations for precious and base metal mineral projects and deposits in Canada and internationally, including Carlin-type gold mineralization in Nevada.

This Report has been prepared in accordance with the guidelines set out by the Canadian Securities Association and in National Instrument (NI) 43-101. The Technical Report has been written on behalf of Eminent Gold Corp.

Mr. Dufresne conducted a site visit to the HSRP March 22nd, 2022. The main showings and mineral claim blocks and the local geology were visited and reviewed. A total of 4 verification samples were collected from the Otis target. No samples were collected from the Eden target.

2.3 Sources of Information

This Report summarises publicly available and internal information as listed in the reference section, Section 27. The data discussed in this report was provided by EMNT in digital format and was compiled and examined by the author who subsequently conducted data verification, as discussed in Section 12. The data provided included historical district summaries, government maps and internal memorandums. The supporting documents used as background information are referenced in the Geology, Mineralization, Deposit Types and Reference sections.

2.4 Units of Measure

With respect to units of measure, unless otherwise stated, this Technical Report uses:

- Abbreviated shorthand consistent with the International System of Units (International Bureau of Weights and Measures, 2006);
- 'Bulk' weight is presented in both United States short tons ("tons"; 2,000 lbs or 907.2 kg) and metric tonnes ("tonnes"; 1,000 kg or 2,204.6 lbs.);
- Assay and analytical results for precious metals are quoted in grams per tonne (g/t) or parts per million (ppm) for rock samples, parts per billion (ppb) for soil

results, ounces per short ton (opt or oz/st), where "ounces" refers to "troy ounces" and "ton" means "short ton". Where g/t or ppm have been converted to opt (or oz/st), a conversion factor of 0.029166 (or 34.2857) was used. Assay and analytical results for base metals are reported in per cent (%);

- Geographic coordinates projected in the Universal Transverse Mercator (UTM) system relative to Zone 11 of the World Geodetic System (WGS) 1984;
- Currency in Canadian dollars (CDN\$), unless otherwise specified (e.g., U.S. dollars, US\$; Euro dollars, €).

3 Reliance on Other Experts

The author is not qualified to provide an opinion or comment on issues related to legal agreements, royalties, permitting and environmental matters. Accordingly, the author of this Technical Report disclaims portions of the Technical Report particularly in Section 4, Property Description and Location.

The QP relied entirely on background information and details regarding the nature and extent of EMNT's land status as provided by Dr. Justin Milliard of Eminent (in Section 4.1) on April 13th, 2022 (in Section 4.1). The legal and survey validation of the claims is not in the author's expertise and the QP has relied on EMNT's land-persons and legal team at Dorsey & Whitney, LLP who have provided a title opinion dated April 14th, 2022 (Burghardt and Zobell, 2022). Bureau of Land Management (BLM) Customer Information Reports were provided by Dr. Milliard of Eminent on April 13th, 2022. The author has confirmed the claims are in good standing as of June 1st, 2022 using the BLM's MLRS register and has no reason to question the validity or good standing of the claims.


4 Property Description and Location

4.1 Description and Location

The HSRP is located in Humboldt County in northern Nevada at the northern extent of the Hot Springs Range and in the Eden Valley (Figure 2.1). The Property is situated approximately 50 km (31 miles) northeast of the town of Winnemucca, NV and 22 km (13.75 miles) east of Paradise Valley, NV. The approximate centre of the Property in UTM system WGS84 Zone 11 is Easting 467,800, Northing 4,579,800.

The Project comprises 419 unpatented lode mineral claims totaling approximately 3,503 ha (8,656 acres) (Figure 4.1). A total 168 claims are 100% owned by Milliard Geological Consulting, LLC ("MGC") of Lamoille, NV, and 251 claims are 100% owned by Hot Springs Resources Corp. ("HOTERCO") of Reno, NV.

Figure 4.1. Mineral claims for the Hot Springs Range Property.



The Mining Law of 1872 states that with respect to unpatented mining claims on federal lands, the locator has the right to explore, develop and mine minerals on mining claims. Surface rights are not included and remain the property of the United States government and are managed by the BLM. No payment of production royalties to the Federal government is required. To maintain existing unpatented claims in good standing an annual maintenance fee of USD\$165 must be paid per claim to the BLM prior to September 1st of each year or the claims will be invalidated. New lode mining claims require a USD\$10 recording fee payable to the County Courthouse of the relevant jurisdiction in which the claims are located. In addition, the BLM requires a further maintenance fee of USD\$165, a USD\$20 processing fee and a US\$40 claim location fee. The total fee payable to BLM for recording a new claim is USD\$225 per claim. All 168 mineral claims are in good standing based on the information received from EMNT. The status of the claims was checked against the BLM MLRS registration database on February 16, 2022, and they were confirmed to be in good standing.

4.2 Royalties and Agreements

On March 6, 2020 EMNT, through its United States Subsidiary, HOTERCO, announced it had entered into an option agreement with MGC to acquire a 100% interest in the HSRP. Under the option agreement to acquire a 100% interest in the Property, EMNT must make cumulative cash payments of USD\$136,140 and cumulative share payments of 1.65 million common shares over a period of 5 years, subject to the acceptance of the TSX Venture Exchange. In addition, to complete the option EMNT must complete a one-time USD\$1.5-million-dollar payment in cash, or equivalent value in shares. EMNT is responsible for the Property holding costs for the duration of the option agreement. The estimated holding cost for the 419 unpatented mineral claims is \$70,000 per year. MGC will retain a NSR of 2%. EMNT may buy a portion of the NSR at a rate of USD\$100,000 for each 0.1%, to a maximum of 1%. As of May 31st, 2022, USD\$61,140 has been paid and 250,000 shares have been issued.

All information pertaining to the ownership and option agreements for ownership of the unpatented mineral claims was provided by Dr. Justin Milliard of EMNT on April 13th, 2022. The Author has reviewed the option agreement and Title Opinion provided by Dorsey & Whitney, LLP (Burghardt and Zobell, 2022).

4.3 Environmental Liabilities, Permitting and Significant Factors

To the Author's knowledge there are no environmental liabilities to which the Property is subject. The author understands that EMNT has yet to perform any ground disturbance work and there is no significant historical work which would result in any environmental liabilities on the Property.

Eminent has received separate Notice's of Work for ground disturbing work, including drilling, at the Otis and Eden target areas of the HSRP. Drilling has not yet been conducted.

There are no other significant factors or risks that the Author is aware of that would affect access, title or the ability to perform work on the Property.

5 Accessibility, Climate, Local Resources, Infrastructure and Physiography

5.1 Accessibility

The Property can be accessed by road from Winnemucca, NV, by following US Highway 95 north for 34 km (21 miles) to Paradise Valley and then turning east onto Nevada State highway 290. After traveling 18.7 km (11.7 miles) east on Hwy 290, turn southeast onto Shelton Road and continue for 10.4 km (6.5 miles) before turning south and crossing Little Humboldt River. Both claim blocks comprising the Property are accessed via various un-named dirt/gravel roads and trails. Shelton road is a graded (maintained) gravel road and provides all-weather access to the area.

5.2 Site Topography, Elevation and Vegetation

The claim block comprising the Property is located at the northern extent of the Hot Springs Range and within the Eden Valley to the east, in north-central Nevada. The Little Humboldt River runs through the eastern portion of the Property, which covers relatively flat terrain at an elevation of approximately 1,372 m (4,500 ft). The HSRP sits at approximately 1,676 m (5,500 ft) elevation and covers moderately sloped terrain with approximately 457 m (1,500 ft) of relief.

Vegetation is typical of the high desert in northern Nevada and comprises primarily low brush and sage bushes with native grasses and low flowering plants.

5.3 Climate

The climate is semi-arid with an annual average precipitation of 210 mm. Summers (June-September) are generally hot with average daytime highs of about 27 - 34 degrees Celsius (°C) (81 - 93 degrees Fahrenheit (°F)). Summer nights are cool. Winter temperatures are generally 20-30°C cooler and normally fall below freezing at night (0° C/32° F) and just above freezing during the day.

5.4 Local Resources and Infrastructure

The town of Winnemucca, NV has a population of approximately 7,400 people. The economy of Winnemucca is based primarily on mining, farming, and tourism. Winnemucca is the county seat of Humboldt County and home to the regional offices of the BLM. Most supplies and services are available including food and lodging. There is a hospital and a medical clinic in Winnemucca. The closest major airport to the Property with commercial passenger service is in Reno, NV, which is located approximately 270 km (167 miles) southwest of Winnemucca following Interstate 80.

There is no power or other mining infrastructure on the Property. Sufficient water for exploration is available for HSRP via local sources. There is very good access to the Property for exploration work. The Federal Government owns the surface rights on the Property. These lands are managed by the BLM. There is no private ownership of surface rights of which the author is aware.

The Property can be accessed year-round. Most exploration activities associated with fieldwork and drilling can likely be conducted year-round, although there may be periods from December to March, where snow conditions at the higher elevations may temporarily impede fieldwork.

In the opinion of the Author, the Property is of sufficient size to accommodate potential exploration and mining facilities, including waste rock disposal and processing infrastructure. There are no other significant factors or risks that the Author is aware of that would affect access or the ability to perform work on the Property.

6 History

There has been no documented historical exploration on the Property that the author is aware of. There are adjacent properties with historical mercury production which are discussed in Section 23 Adjacent Properties of this Report.

7 Geological Setting and Mineralization

7.1 Regional Geology

The HSRP in north-central Nevada is situated within the Basin and Range province of the western United States, near the northeast end of the Hot Spring Range Mountains and to the east in the Eden Valley. The Basin and Range province covers most of the inland western US and northwest Mexico and is characterized by long narrow, generally north-south trending mountain ranges separated by long broad valleys (basins). The Basin and Range physiography is the result of extension that has been affecting the region for most of the Miocene.

The Hot Springs Range is comprised of steeply dipping fault bound blocks which separate the Jungo, Golconda, Dutch Valley, and Getchell geological terranes. These units and their structures are a result of Neo Paleozoic rifting forming basin sediments followed by repeated orogenesis through the Mid Paleozoic to early Mesozoic. Finally, Tertiary uplift and extension caused the block faulting that is reflected in the current physiography of the region, which may have included the reactivation of certain older structures and the deposition of volcanics and immature sediments, as well as Quaternary alluvium which now covers much of the Eden Valley.

The southern portion of the Hot Springs Range is made up of the Ordovician age Valmy Formation (Fm.) of the Getchell terrane, which comprises two members: a chert and a massive quartzite (Hotz and Willden, 1964). The contact between the two members of the Valmy Formation is convoluted due to folding, which comprises steeply plunging, isoclinal folds, though the two are in depositional contact (Jones, 1997).

The central portion of the Hot Springs Range comprises rocks of the Dutch Valley terrane represented by the Devonian Harmony Formation and the Late Cambrian Paradise Valley Chert. The Paradise Valley chert only crops out in select locations and is overlain by the Harmony Formation. The Harmony Formation is made up of two members, a sandstone member, and a limestone member. The sandstone member contains some coarse, turbiditic, arkosic sands which may represent debris flows. Underlaying the Harmony Formation is the Paradise Valley Chert, which comprises dark green to black, 5 to 20 cm beds. Beds of the Harmony Formation and Paradise Valley Chert are folded with a northeast-trending and shallowly plunging axis (Hotz and Willden, 1964). They form continuous beds that extend for significant distances across the range (Jones, 1997). These Cambrian to Devonian aged rocks were deposited on the western margin of the North American Craton as sands and reefs during the breakup of the Rodinia supercontinent. It is postulated that the deposition of debris flows during this period is controlled by deep Neoproterozoic faults being reactivated and that these are potential pathways for future mineralizing fluids (Emsbo, 2006).

The basement fault orientation is also suggested to influence stress fields and result in structural inversion during orogenesis. This has led to thrust duplexes and elongate anticlines during the subsequent Devonian/Mississippian Antler and Permian/Triassic Sonoma orogenies which correlate well with the orientations of the modern Carlin, Battle Mountain, and Getchell mineralization trends (Emsbo, 2006; Lund 2008). These trends host numerous Carlin style gold deposits which have produced more than 150 million oz of gold and represent a significant proportion of the gold deposits in the region (Muntean et, al. 2018).

The Carlin, Battle Mountain, and Getchell gold trends are not to be considered as "adjacent properties" to the Hot Springs Range Project and are noted only to indicate that the Hot Springs Range Project lies within a geologically significant region of gold deposits the locations of which appear to define certain "mineral belts". The author has not verified the published reserves, resources, or production figures for the mines comprising the Getchell, Battle Mountain, and Carlin gold trends. The author does not imply any size or grade relationship between any of the mines on these trends and the Hot Springs Range Project and further cautions the reader that the reference to such "trends" is not necessarily indicative of the mineralization known or to be expected on the Hot Springs Range Project, which is the subject of this technical report.

Following the Dutch Valley terrane to the north is the Golconda terrane, which can be subdivided into the Poverty Peak melange, Poverty Peak subterrane, the Golconda melange, and the Home Ranch subterrane in order from northwest to southeast, approximately youngest to oldest. They are made up of arc volcanics and sediments and

are emplaced against the Dutch Valley terrane by high angle faults as part of the Sonoma orogeny (Ketner, 2008). The two melanges are believed to be part of massive shears related to the Sonoma orogeny and transnormal shear forces (Jones, 1997; Lund, 2008). The orientation of the melanges and the anticlinal folding in the Poverty Peak subterrane both coincide with the Getchell gold trend.

To the west southwest of the Golconda terrane is a phyllite and shale unit. It sits structurally below the Home Ranch subterrane separated by low angle faulting, the Home Ranch Thrust. This unit has been questionably related to the Golconda terrane (Jones, 1997), although it has also been associated with the Jurassic aged Auld Lang Syne Group (Hotz and Willden, 1964).

The fault bound blocks that make up the northwestern corner of the Hot Spring Range are of the Triassic to Jurassic aged Jungo terrane. It can be divided into the Auld Lang Syne Group and Little Poverty limestone, which comprise marine sediments in the form of sandstones shales and limestones. The contact between the Jungo terrane and the Poverty Peak melange is interpreted as the Fencemaker fault (Oldow, 1984).

All the Paleozoic and Mesozoic units that make up the Hot Springs Range are folded along northwest southeast shortening and form their faulted contacts as part of there emplacement on the Laurentian plate during the Antler and Sonoma orogeny's. Mid-Tertiary uplifting and extension has resulted in reactivation of older structures resulting in normal faulting and the horst and graben formation (Jones, 1997; Milliard and Ressel 2018). These structures are seen both along the Hot Springs Range and bounding it. Additionally, these structures may be associated with deeper faulting and may have formed conduits for potential mineralizing fluids.

Overlying the Mesozoic and Paleozoic blocks in places and bounding the Hot Springs Range to the east, and to a lesser degree in the west, is a unit of early Miocene aged vesicular basaltic andesite. There are steeply east dipping foliations which have been observed at several locations along the eastern side of the range. As well as gently west dipping foliations on the western side of the range. These foliations may represent a structural fabric as opposed to a primary flow feature. These late volcanics cover and obscure the lithologies and structural features below.

The regional geology and structure trends of the region are presented in Figure 7.1. The regional geology relative to the Twins Creeks and Turquoise Ridge mines is presented in Figure 7.2.

Figure 7.1. Regional Geology of the Hot Springs Range Property showing the Getchell Trend and northern portion of the Carlin and Battle Mountain structural trends.





Figure 7.2. Regional Geology and the Hot Springs Range Property relative to the Twin Creeks and Turquoise Ridge mines.



At the far northern edge of the Hot Springs Range is a unit of Tertiary porphyritic rhyolite. There is also a Tertiary unit of sandstone and limestone at the north end of the Eden Valley has which has not been mapped in detail and is in contact with the Miocene basaltic andesites.

Finally, there are fluvial and alluvial deposits. These cover much of the lower slopes of the Hot Springs Range as well as the Eden Valley. They consist of poorly sorted silts, sands, and gravel. These deposits are generally Quaternary in age and unconsolidated though older possibly Tertiary deposits can be poorly consolidated.

7.2 Property Geology

The claim block covers portions of the phyllite and shale unit, the Home Ranch subterrane, the Golconda melange, the Poverty Peak subterrane, the Miocene basaltic andesite and Quaternary alluvium (Jones, 1997). The local geology and detailed geology of the Property are presented in Figures 7.3 and 7.4, respectively.

The phyllite and shale unit locally outcrops on the property but continues under the southernmost portion of the HSRP in the foot wall of a low angle trust fault, the Home Ranch Thrust. The unit consists of strongly cleaved and foliated phyllite and shale with beds of silty chert and blocks of limestone and silty chert. The shales are reddish-brown to green and commonly contain Nerites-type worm tracks (Jones, 1997). In-folded with the shales are multiple coarse, feldspar-rich sandstone beds with dark grey quartzite and black chert clasts. Distinct blocks containing Mississippian radiolarians and those containing Early Permian conodonts indicate that they may be a reworked component of this unit.

Over the top of the phyllite and shale unit, making up the hanging wall of the low angle Home Ranch Thrust Fault, is the Home Ranch subterrane (Jones, 1997). The Mississippian aged Home Ranch subterrane comprises mafic andesitic volcanics. massive bedded fossiliferous limestone, limestone and basalt conglomerate, spiculitic dark gray to black chert, volcanic breccia debris flows, and massive pillowed basalt. There are 5 to 15 cm thick layers of crystal-rich basalt sandstones interbedded with laminated cherty black tuffs (Jones, 1997). Graded beds contain fragments of plagioclase and perthite phenocrysts as well as volcanic (possibly basalt) clasts, which show soft sediment slumping and bed offsets. Clast of chert, argillite, basalt, and rare quartz siltstone are found within the clast-supported volcaniclastic sandstones and breccias. Matrix-supported, graded conglomerates contain pillow basalt fragments and vesicular flows in a limestone matrix. Clasts within conglomerate layers are 10 to 20 cm in diameter and rounded to sub-rounded and are composed primarily of basalt, argillite and chert. The massive bedded fossiliferous limestones are tens of meters thick and are interbedded with basalt flows. The debris flow deposits contain large fossiliferous limestone and basalt blocks (Jones, 1997). The Home Ranch subterrane continues under the southeast portion of the property where is it covered by the Miocene basaltic andesite.

Figure 7.3. Local geology of the Hot Springs Range Property.





Figure 7.4. Detailed geology of the Hot Springs Range Property (after Jones, 1997).



The Golconda melange that covers most of the HSRP is Permian in age. The melange is a disrupted heterogeneous unit though it does have mappable lithological horizons (Jones, 1997). It contains large blocks in a sheared basaltic tuff and argillite matrix. The blocks are composed primarily of pillow basalt, red ribbon chert, interbedded chert and sandstone, calcareous siltstone, and massive limestone and volcanic breccias. These blocks have been linked to adjacent terranes in the Hot Springs Range and Osgood Mountains by lithologic and biostratigraphic data. This includes blocks of Dry Hills subterrane which is made up of feldspathic sandstone and Carboniferous green, black, and gray radiolarian chert. The Dry Hills subterrane is exposed extensively in the Osgood Mountains (Jones, 1997).

The Golconda melange and Home Ranch terrane both represent good potential hosts for gold mineralization. Specifically, these units exhibit folding and faulting and contain potentially reactive and/or permeable lithologies including carbonates, volcanic breccias, and debris flows. Both the Golconda and Home Ranch units are fault bound and contain several mid-Tertiary extensional faults that may represent reactivated older Mesozoic and Paleozoic faults (Millard and Ressel ,2018). These faults are generally oriented northeast, parallel to the Getchell trend, though some are oriented north northwest in alignment with the Carlin and Battle Mountain trends. It is possible that these structural orientations, including fold axis, correlate with deep Neoproterozoic faults that were potentially reactivated and/or acted as pathways for potential mineralization (Emsbo, 2006; Lund 2008).

The Poverty Peak subterrane is only present at the northwestern extent of the property. It can be subdivided into the Poverty Peak I unit (Cpp1) and Poverty Peak II unit (Ppp2). These are differentiated by age and lithology, but the contact is interpreted to be depositional (conformable). Ppp2 is Permian in age and overlies the Carboniferous Cpp1. Cpp1 contains chert beds which are folded into an anticlinal sequence with a northeast trending fold hinge and is exposed at surface bounded by Ppp2 due to the anticlinal folding. Ppp2 contains interbedded calcarenite, quartz arenite, siltstone, and shale (Jones, 1997). Cpp1 does not crop out on the property but underlies Ppp2 on the property.

High angle structures running northeast and north northwest define the geological 'blocks' that form the property. Tertiary and quaternary uplift and extension have reactivated these structures forming the horst and graben structural nature of the property. These structural orientations and can represent mineralizing corridors (Millard and Ressel 2018).

Overlying all but the Quaternary alluvium is a unit of early Miocene aged vesicular basaltic andesite. This outcrops patchily on the property as well as over the southeastern edge of the property covering Home Ranch sub terrane and Golconda melange extending into the Eden valley. The basaltic andesite is aphanitic and black with a fine sugary texture on fresh surfaces with weathered surfaces turning reddish brown. Some horizons commonly contain elongate one-to-two-centimetre pipe vesicles and/or weathered casts of hornblende needles. A base of flow layer can be seen intermittently as a breccia horizon with red to black volcanic clasts (Jones, 1997).

Finally, there is poorly sorted and generally unconsolidated Quaternary silts, sands, and gravels in gullies and channels.

The Eden target area is positioned along strike to the northeast. It is covered by the Miocene basaltic andesite and Quaternary alluvium. It would be expected that this block would be underlain by the same lithologies as Otis target area though they may be offset due to extensional faulting.

7.3 Mineralization

Prior to the surface work being completed and detailed below in section 9, the HSRP was a conceptual early-stage exploration project. Before the work that is detailed herein, there were a total of 11 rock grab samples collected by MGC personnel while staking the mineral claims.

At the HSRP two of the rock grab samples collected by MGC personnel during their initial staking returned anomalous concentrations of gold (Au), with the highest value obtained being 0.405 ppm Au. Several of the samples returned highly anomalous pathfinder elements including up to 764 ppm As, 125.5 ppm Sb, 4.46 ppm Hg and 3,970 ppm Ba.).

Both anomalous gold bearing rock grab samples were collected close to the Home Ranch Thrust. The first was a sample at the contact between siliciclastic and carbonates close to the thrust fault in an allochthonous block returning 0.405 ppm Au. The second is quartz vein material found near a diorite dyke returning 0.128 ppm Au. These sample results along with several samples with anomalous As, Sb, Hg and Ba are indicative of hydrothermal fluid flow and alteration, which indicate potential for the presence of Carlinstyle precious metal mineralization, including gold.

The Property currently comprises an undrilled conceptual exploration target covering areas of exposed and/or thinly covered Paleozoic sedimentary rocks that are known to host significant Carlin-style gold mineralization elsewhere in the region. The surface work on the Property has identified indicators of hydrothermal activity associated with structures that are of interest. This includes several jasperoid hematite breccias associated with silicification and/or quartz veining. Also noted was a granodiorite dyke with quartz veining and oxidized outcrops that are believed to have been sulphidebearing. The results of the 2020 and 2021 surface work is presented in Section 9 and further defines the mineralization.

8 Deposit Types

The main deposit type being explored for at the Property is structurally and stratigraphically controlled Carlin-style (gold) mineralization. Carlin-style gold deposits are responsible for over 150 million ounces of gold production in Nevada (Muntean et, al. 2018).

Carlin-style deposits host gold along major high angle structures which act as conduits for hydrothermal fluids and as extensive low grade disseminated mineralization in sedimentary rocks. The high angle structures acting as potential conduits are present throughout northern Nevada resulting from multiple deformation events beginning with middle-late Devonian Antler Orogeny and continuing through to early Tertiary extension. Gold is emplaced in structural traps and as replacement mineralization in susceptible and permeable lithologies. These include carbonate rocks including limestones, calcareous siltstones, volcanic breccias, and calcareous-siliciclastic debris flows. Alteration around mineralization and fluid intrusion result in decalcification of a carbonate rich host along with localized silicification resulting in jasperoid and carbon-rich flooding. Arsenic, antimony and mercury sulphide minerals, as well as "sooty" pyrite, are commonly associated with Carlin-style gold mineralization. Barite is also commonly associated with Carlin-style gold deposits.

The detailed deposit models utilized include the following elements: uplifted siliciclastic and carbonate rocks favorable for development of Carlin-style sedimentary rock-hosted gold deposits; similar geologic patterns of Paleozoic host rocks; similar geologic patterns of alteration and mineralization at the HSRP to well-documented gold deposits on the Battle Mountain and Getchell Trends; the presence of collapse style breccias that could host gold mineralization; close proximity to a multi-phase igneous stock; dike/sill-filled fault corridors; and the presence of west-northwest, north-south, northeast and northwest striking faults.

The identification of these geologic patterns at the HSRP lends credence to the mineralization models that are being used on the Project. Geologic features that form characteristic patterns associated with Carlin-style, sedimentary rock-hosted gold mineralization include:

- Gold deposition at siliciclastic rock / carbonate rock contacts.
- The "footwall model", which refers to sedimentary rock-hosted gold mineralization occurring in favorable Paleozoic carbonate rocks in the footwall (horst) of a normal fault that typically has +500 feet (+150 m) of normal displacement. Many Carlintype, sedimentary rock-hosted gold deposits are characterized by this model, including but not limited to: Leeville (Jackson et al., 2002), Betze-Post and Meikle (Bettles, 2002) and Deep Star (Clode et al., 2002).
- Collapse breccia developed in carbonate rocks, and in overlying siliciclastic rocks. Collapse breccia is one of the preferred hosts for disseminated gold mineralization.
- West-northwest, northwest-, northeast-, and north-south-striking high-angle faults.
- Folds. Anticlines and overturned anticlines are structural features that serve as hydrothermal and metal-bearing fluid traps.
- Alteration types include: dolomitization, decalcification, silicification, argillization, oxidation, fine-grained sooty pyrite, carbon and barite. Teal and Jackson (1997) noted that these types of deposits typically contain laterally and vertically continuous zones of hypogene oxidation.
- Proximity to a multi-phase igneous center with associated igneous dikes and sills.

- Microscopic gold associated with arsenic-rich pyrite. Associated trace elements include arsenic, mercury, antimony, thallium and zinc.

Important Carlin-style sedimentary rock-hosted gold mineralization associated features such as structure and alteration have been identified by limited geologic work at the HSRP. The identification of granodiorite and diorite as dykes and/or sills at the HSRP is considered important. Cretaceous granodiorite dykes, present as splays from the Osgood stock, are associated with gold mineralization at the Turquoise Ridge Mine (Cox et al, 2018) located approximately 21 km (15 miles) southeast of the Property. The intrusions at the HSRP are potentially an indication of local hydrothermal activity and fluid pathways. However, as previously mentioned, no significant mineralization has yet been identified at the Property.

9 Exploration

9.1 Exploration Overview

Eminent's recent exploration programs included geochemical sampling, defined detailed mapping, and CSAMT geophysics. The locations of these surveys relative to the regional geology, are shown in Figure 9.1.

9.2 Geochemical Sampling

In 2020, Eminent collected 1,312 soil samples at 125-meter centers in the western portion of the claim block, which includes the Otis target, and 79 Quaternary soil samples at the Eden target. In 2020, Eminent collected 136 rock samples at the Otis target and only 1 rock sample was collected at the Eden target as it is completely covered with post-mineral basalts and Quaternary sediments. In 2021, Eminent collected an additional 82 rock samples at the Otis target.

As (arsenic) and Au (gold) results in the western portion of the Property are shown in Tables 9.1 and 9.2 and on Figure 9.2. Significant anomalies are present in the Otis target area. At the Eden target area, soil samples were collected from overlying Quaternary sediments along lines transecting scarps of modern normal faults (Table 9.3; Figure 9.3). The modern scarps cut a thick package of post mineralization cover. Background soil samples of this cover, away from the faults yield <1.5 ppb Au, whereas in proximity to the fault scarps assays range from 0.2 ppb up to 7.0 ppb Au, indicating that ground water coming to surface may be carrying and depositing anomalous gold as a potential indicator of buried gold mineralization at depth. The elemental makeup of the geochemical anomaly is potentially indicative of a Carlin-style geochemical system (Table 9.3).




Figure 9.1 2022 exploration summary for the HSRP (geology after Jones, 1997).

Table 9.1. Rock Sample Assay Highlights from the Otis Target.

| Sample | | | | | | | | | |
|--------|----------|----------|--------|--------|--------|--------|--------|--------|-------|
| ID | Au (g/t) | Ag (g/t) | As ppm | Hg ppm | Sb ppm | Se ppm | Te ppm | Tl ppm | W ppm |
| 133790 | 2.85 | 0.31 | 12.6 | 0.212 | 17.45 | 0.327 | 0.016 | 0.273 | 1.415 |
| 133793 | 2.52 | 0.471 | 219 | 1.02 | 131 | 0.377 | 0.027 | 1.25 | 5.42 |
| 133778 | 0.77 | 0.096 | 51.6 | 0.089 | 9.61 | 0.274 | 0.012 | 0.222 | 1.42 |
| 303524 | 0.706 | 0.028 | 457 | 0.453 | 19.05 | 0.272 | 0.007 | 0.562 | 4.56 |
| 303526 | 0.684 | 0.025 | 522 | 1.065 | 8.93 | 0.126 | 0.005 | 0.932 | 5.88 |
| 19PP03 | 0.405 | 0.014 | 764 | 4.46 | 31.5 | 0.757 | 0.007 | 1.125 | 3.26 |
| 303421 | 0.39 | 0.1 | 826 | 0.226 | 66 | 0.084 | 0.005 | 0.257 | 1.195 |
| 303419 | 0.355 | 0.063 | 1400 | 0.304 | 21.8 | 0.4 | 0.007 | 0.273 | 0.985 |
| 303533 | 0.25 | 1.01 | 263 | 2.06 | 19.55 | 0.767 | 0.024 | 0.389 | 5 |
| 303420 | 0.202 | 0.18 | 422 | 0.986 | 21.9 | 0.151 | 0.006 | 0.13 | 1.11 |
| 303438 | 0.138 | 0.003 | 571 | 0.013 | 8.19 | 0.22 | 0.005 | 0.684 | 2.75 |
| 19PP06 | 0.128 | 0.008 | 17 | 0.092 | 3.55 | 0.067 | 0.005 | 0.192 | 1.38 |

Table 9.2 Soil Sample Assay Highlights from the Otis Target at HSRP.

| Sample ID | Au ppb | Ag ppb | As ppb | Hg ppb | Sb ppb | Se ppb | Tl ppb | W ppb |
|-----------|--------|--------|--------|--------|--------|--------|--------|-------|
| 342552 | 465 | 66.4 | 7.5 | 1 | 0.6 | 4 | 0.25 | 6.2 |
| 342816 | 165 | 42.1 | 42.7 | 1.9 | 0.8 | 5 | 0.34 | 5.3 |
| 342572 | 119.5 | 81.3 | 38 | 0.8 | 1.1 | 4 | 0.28 | 4.7 |
| 342705 | 73.5 | 45 | 8.8 | 0.6 | 0.8 | 7 | 0.39 | 4.5 |
| 342817 | 67.2 | 49.5 | 11.6 | 0.4 | 0.5 | 3 | 0.43 | 4.3 |
| 342818 | 38.3 | 42.2 | 10.3 | 0.7 | 0.6 | 3 | 0.63 | 4.8 |
| 342667 | 36.6 | 108.5 | 11.4 | 0.9 | 0.6 | 12 | 0.42 | 4.8 |
| 342674 | 32.8 | 71.1 | 18.7 | 1.8 | 3.8 | 2 | 0.19 | 10.6 |
| 342737 | 30 | 45.1 | 9.6 | 4.7 | 1 | 7 | 0.11 | 8.4 |

Table 9.3 Soil Sample Assay Highlights from the Eden Target at HSRP.


| Sample | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| ID | Au ppb | Ag ppb | As ppb | Re ppb | Sb ppb | Se ppb |
| 336186 | 7.04 | 157.5 | 11 | 0.02 | 2 | 17 |
| 336187 | 6.77 | 117.5 | 11 | 0.01 | 8.5 | 10 |
| 342775 | 6.03 | 59.3 | 19.6 | 0.02 | 8.6 | 16 |
| 336178 | 4.71 | 83 | 50.8 | 0.02 | 4.1 | 14 |
| 342793 | 3.27 | 81 | 36 | 0.01 | 3.6 | 10 |
| 336309 | 3.14 | 131 | 17.1 | 0.01 | 1 | 14 |
| 342784 | 3.1 | 35.9 | 10.3 | 0.01 | 3.1 | 7 |
| 336356 | 3.04 | 114 | 6.6 | 0.01 | 0.9 | 8 |

9.3 Geological Mapping

The HRS terrane at the Otis Target was mapped at 1:10,000 scale to determine:

- a) the relative abundance and position of volcanic rocks and limestone and
- b) the different alteration types (Figure. 9.3).

Figure. 9.2. Map showing the 125-meter spaced soil sample grid showing distinct gold and arsenic-in-soil anomalies at the Otis target.



Hydrothermal alteration in the form of quartz, hematite, and jasperoid veins and breccias, along with decalcified and sanded limestone are present. The type of alteration and geochemical anomalies are like that seen in other Carlin type deposits (Teal et al., 1997). The Quaternary faults at the Eden Target were mapped using 1/3 meter resolution digital terrane model (DTM) to determine the precise location and displacement on active fault scarps (Figure 9.4).

Figure 9.3a Synthesis of exploration results at the Otis Target. Section trace A-A' is for the CSAMT cross section shown in Figure. 9.6.





Figure 9.3.b Results of geochemical sampling at the Eden target area. Section B-B' shows the process by which geochemical anomalies can be expressed on younger reactivated faults.



9.4 CSAMT Geophysics

In total, 16.2 line-km of data were collected across the Otis and Eden targets at 50-meter spacing using Controlled Source Audio-frequency Magnetotellurics (CSAMT). At the Otis target, the geophysical lines consisted of six two-km-long lines, three lines were oriented at 340 degrees and three lines were oriented at 050 degrees. At the Eden target three lines were completed: one two-km-long line, oriented N-S and two 1.6 km long lines, oriented E-W with a 1,200 m spacing (Figure 9.1). The data were collected by Durango Geophysics that did the initial data Quality Control (QC) and were further QC'ed by Computational Geosciences. The data were subsequently inverted in 3D for conductivity using the OcTree inversion technique. A number of 2D slices were extracted from the 3D models at the line locations. The 3D models demonstrate good correlation with many of the known fault and structures in the region (Figure 9.4a and Figure 9.4b).




Figure 9.4a Otis 2D slices CSAMT model view to the south.





Figure 9.4b Eden 2D slices CSAMT model view to the north.

9.5 Photogrammetry & Digital Terrain Model

The Otis and Eden target areas were flown to collect both high-resolution aerial imagery and digital terrain model (DTM) on June 10, 2020 by Wood Rodgers (Figure 9.5). The data was tested to meet ASPRS Positional Accuracy Standards for Digital Geospatial Data (2014) for vertical accuracy and found to be RMSE(z) - 0.55 ft.

Figure 9.5 Hot Springs Range Project photogrammetry control diagram



9.6 Exploration Synthesis

The geochemical results, mapping, and CSAMT survey confirm and strengthen the exploration model presented in the 2020 Technical Report (Dufresne, 2020) indicating a target worthy of drill testing at the Otis and Eden target areas (Figures 9.6 and 9.7). The location of the Eden and Otis zones and related geochemistry and fault architecture, show a marked similarity to that present at the Getchell and Twin Creeks deposits (Figure 9.8).




Figure 9.6. Cross sections at the Otis Target.




Figure 9.6 shows a) an oblique view of the CSAMT section in Leapfrog model showing the steeply dipping Eden Valley faults and intersecting NE oriented faults, along with the shallow thrust fault. The mapped trace of the thrust fault corresponds to where it is imaged by CSAMT, and b) a conceptual cross section of the Otis target based on surface mapping in 2020 showing the hypothesized fault geometry at depth as well as soil (ppb) and rock chip (g/t) assay results projected to the section. The CSAMT data supports the existence of the conceptual faults at the Otis target.

a. Eden
-500 m depth to target

Quaternary fault traces
D'

Feeder faults

Primary Target Fault Zone
thrust fault (trap)

N
0 meters

Conductivity (S/m)

Figure 9.7. Cross sections at the Eden Target area.




Figure 9.7 shows a) an oblique view of the CSAMT section in a Leapfrog model. Note the steeply dipping East Hot Springs Range fault zone and the intersection west-dipping faults, along with the shallow thrust fault, and b) a conceptual cross section of the Eden Target based on surface mapping and inferred subsurface geology showing the hypothesized fault geometry at depth.




Figure 9.8. Long sections of the HSRP and Getchell Trend extending ~10 km from west to east.

10 Drilling

No drilling has been completed on the Property by EMNT or historically.

11 Sample Preparation, Analyses and Security

11.1 Sample Collection, Preparation and Security

Rock samples were collected by placing between 0.3 and 2.76 kg of material into plastic sample bags marked with individual sample numbers. Sample descriptions, sample photos, and GPS location were recorded in the field on tablets using the Fulcrum Mobile Data Collection app in addition to sample IDs being recorded on individual tyvek

sample cards which included a detachable sample tag that was removed and placed inside each sample bag before it was sealed with a cable tie.

Soil samples were collected along predetermined grid lines and received individual sample numbers. Soil samples were collected from 20 to 50 cm depth, ideally the B horizon was sampled but since many of the soils on the property are poorly developed, the B horizon did not exist in all pits sampled. Some samples were taken in the C horizon of regolith and weathered rock where the B horizon was not developed. Samples were sieved in the field using a 10 mesh (2 mm) screen. Standard ziploc soil sample bags, marked with unique sample numbers, were filled on site. Sample descriptions, sample photos, and GPS location were recorded in the field on tablets using the Fulcrum Mobile Data Collection app in addition to sample IDs being recorded on individual tyvek sample cards, which included a detachable sample tag that was removed and placed inside each sample bag before it was sealed with a cable tie. Samplers were instructed not to wear jewelry and to use plastic trowels to place the soil into cloth sample bags.

All rock and soil samples were secured in locked field vehicles until they could be delivered to ALS in Reno or Elko, NV.

11.2 Analytical Procedures

The samples collected by Eminent personnel were prepared and analyzed at ALS Minerals Laboratory (ALS) in Reno, NV, USA. ALS is an accredited laboratory that complies with the data quality objectives of the International Standards Organization (ISO/IEC 17025:2005 and ISO 9001:2015). ALS is independent of APEX, Eminent and MGC.

Rock samples were prepared using the Prep-31 procedure. Samples were sorted, cataloged and dried. The samples were initially crushed to better than 70% passing a -19 mm sieve with a secondary fine crush with better than 70% passing through a -2 mm sieve. A riffle split sample of 250-gram was collected from the -2 mm portion and pulverized to 85%, or better, passing through a 75 micron sieve. The prep equipment is cleared between each sample with compressed air and brushes and is periodically cleaned by processing river gravel and sand. In addition, screen tests are conducted as part of the lab's internal QC program to ensure that both the crushing and pulverization processes are meeting the desired specification.

The rock samples were analysed using ALS procedure Au-ICP21 for fire assay fusion with analysis by inductively coupled plasma (ICP) atomic emission spectroscopy (AES). Additionally, the samples were processed using ALS procedure Hg-MS42 and ME-MS61L to obtain geochemistry for 49 trace elements using ICP- mass spectroscopy (MS) and ICP-AES spectroscopy.

At the lab soil samples were weighed, catalogued and split (SPL-33). The samples were not dried or screened. A 50 g split fraction was analyzed using ionic leach method ME-MS23 for the samples collected from the Otis and Eden targets, and additionally MS-

03 for samples from the Eden target. MS-03 entails a sample (1.0 g) is leached with deionized water and digested in a water bath at 60°C for two hours. The final solution is then separated from the solids by centrifuging and decanting the supernatant. The solution is then analyzed by ICP-MS and subsequently by ICP-AES for the following analytes: Al, Ca, Fe, K, Mg, Mn, Na and P.

11.3 Quality Assurance – Quality Control

Standard reference materials (SRMs), blanks or duplicates, were inserted into the soil sample stream at a frequency of one every 20 (~5%) samples and were provided to ALS with the soil samples in order to provide quality assurance and quality control (QA-QC).

For EMNT's soil sampling program, 25 SRMs were inserted into the sample stream. One commercially produced SRM acquired from Moment Exploration GeoServices (MEG) was used: MEG-Au.13.04, which has a certified mean Au assay of 13.045 ppb Au with a 95% confidence limit of 9.39 -16.669 ppb Au. All of the SRMs returned assays within 2 standard deviations (2SD) of 8 ppb (Figure 11.1). The results in general are low for the SRM as its certified value is with a normal 4 acid digestion technique. It has not been certified with a partial extraction technique such as ionic leach, hence the overall low values compared to the certified value.




Figure 11.1 Soil Sample Standard MEG Au 13.04 QA/QC results.

A total of 24 blank standard samples were inserted into the sample stream. The blank samples consist of aeolian sand from the Winnemucca dune field. All of the blanks returned assays below 0.09 ppb Au (Figure 11.2).




Figure 11.2 Soil Sample Blank Standard QA/QC results.

11.4 Adequacy of Sample Collection, Preparation, Security and Analytical Procedures

In the opinion of the Author of this report, there were no issues with respect to the sample collection methodology, sample security, sample preparation or sample analyses in any of the exploration programs completed at HSRP by Eminent. As a result, the data within the project's exploration databases is considered in good shape and suitable for use in the further evaluation of the Property.

12 Data Verification

12.1 Qualified Person Site Inspection

The Author of this Technical Report, Mr. Michael Dufresne, M.Sc., P.Geol., P.Geol., a QP and principal of APEX performed a site visit on March 22nd, 2022, to verify the geology and alteration that have been observed to date at the Project and to collect verification samples. Mr. Dufresne observed quartz veins, silicification, brecciation and hematitic oxidation, likely after sulphides, in Paleozoic calcareous and siliciclastic sedimentary rocks along with presence of diorite dykes and/or sills at the Otis target. The Eden target is completely covered with post-mineral basalt and Tertiary and Quaternary cover therefor no rock samples were collected at the target.

The Author and QP collected a total of 4 verification rock grab samples from the Otis target on the Property. The rock grab samples were sent to ALS in North Vancouver, BC, for analysis. ALS is an International Standard ISO/IEC 17025:2005 certified laboratory and is independent of APEX, the Author and Eminent.

At ALS, the rock grab samples were crushed and pulverized, and analysed for gold using fire assay with an atomic absorption finish (AAS) (ALS code Au-AA23). Multielement geochemical analysis was completed using aqua regia digestion with ICP-AES (ALS code ME-ICP41). The location and results of the HSRP verification samples are presented in Table 12.1.

Table 12.1 HSRP site visit verification rock grab sample locations and results.

| Sample | Target | Easting (m) | Northing (m) | Zone N83 | Weight (kg) | Au (ppm) | Ag (ppm) | As (ppm) |
|----------|--------|----------------|-----------------|-------------|----------------|-------------|-------------|-------------|
| 22MDP100 | Otis1 | 464001 | 4576813 | 11 | 0.88 | 0.006 | 0.2 | 17 |
| 22MDP101 | Otis2 | 463939 | 4576668 | 11 | 1.16 | < 0.005 | < 0.2 | 5 |
| 22MDP102 | Otis3 | 463957 | 4576558 | 11 | 0.76 | 0.594 | <0.2 | 555 |
| 22MDP103 | Otis4 | 463958 | 4576559 | 11 | 0.62 | <0.005 | <0.2 | 8 |

Rock sample 22MDP102 consisted of a composite rock grab sample from a fault zone breccia that was likely hosted in diorite. The samples returned 0.594 ppm Au and 555 ppm As. Gold results from this sample are similar to results from samples collected by EMNT personnel from the area which returned between 0.59 and 0.71 ppm Au. The other three samples did not return anomalous results.

12.2 Data Verification Procedures and Validation Limitations

The HSRP Property is considered an early stage exploration project and is in need of a systematic drilling program in order to assess its potential for structurally controlled sediment hosted Carlin-type or epithermal precious metal mineralization.

Based on the Property inspection, verification sampling, and data review, the Author has no reason to doubt the reported geology, exploration, and exploration results to date. In addition, the Author of this Report can verify the geological observations, results and conclusions of the recent exploration work carried out by Eminent personnel at the HSRP.

Historical information and data were provided to the Author by Eminent as electronic (PDF), word or excel files. Mr. Dufresne conducted data verification on the following historical information and data: recent Eminent surface sampling locations, weights and assay analytical results. There is little to no evidence of historical drillhole data.

12.3 Adequacy of Data

The Author has reviewed the adequacy of the exploration information and the Property's physical, visual, and geological characteristics. Based on independent verification sampling of rock grab samples, as well as a review of the outcrop exposure, including observation of the lithology and alteration, the Author of this Report can verify the geological observations, results and conclusions of the recent exploration work carried out by EMNT at HSRP.

No significant issues or inconsistencies were discovered that would call into question the validity of the data. In the Authors' opinion, the Eminent and historical data is adequate and suitable for use in this Report. The data provided to the author by Eminent personnel is considered adequate for the purposes used in this Technical Report.

13 Mineral Processing and Metallurgical Testing

No mineral processing or metallurgical testing has been performed by EMNT on the Hot Springs Range Property.

14 Mineral Resource Estimates

There are no mineral resources defined on the Hot Springs Range Property.

Sections 15-22 are not included. The Hot Springs Range Project is an early stage exploration project.

23 Adjacent Properties

The information contained in this section is not considered material to this Technical Report. The information is included to provide clarity in terms of validating the exploration target that may exist at the HSRP. The information in this section was extracted from public domain documents, most of which come from the websites of the claim holders


and from SEDAR (www.sedar.com). The Author has not visited the Projects discussed below and has not verified the information contained in this section of the report. Such information is not necessarily indicative of the mineralization that exists or may exist on the HSRP. This information is presented to provide context to the targets being explored for on the HSRP.

The Turquoise Ridge and Twin Creeks gold mines (Figure 23.1) are located approximately 21 km (15 miles) to the southeast of the Property near the northeast end of the Osgood Mountains. These mines are owned and operated by Nevada Gold Mines, which is a joint venture between Barrick Gold Corporation (61.5%) and Newmont Goldcorp Corp. (38.5%). The mines are close to each other and exist along the northeast oriented Getchell Trend and an assumed northeast oriented structure. Both gold deposits appear to be spatially controlled by the intersection of the northeast oriented structure and crossing or intersecting north - south to north - northwest oriented structures that appear to be dipping approximately 50° to the northeast.

The HSRP has similar structural and lithological features to the Getchell Trend as they pertain specifically to the geology and structural setting of the Turquoise Ridge and Twin Creeks mine areas. Turquoise Ridge is a high-grade Carlin-style gold deposit and is structurally and stratigraphically controlled. The deposit generally follows the Getchell Fault's orientation and is located proximal to a series of granodiorite dykes and splays from the Osgood stock. Micron sized gold is present in arsenic rich rims around pyrite mineralization in Paleozoic decalcified carbonaceous sedimentary rocks (Cox et al., 2019). Mineralization commonly occurs as replacement zones in decalcified Ordovician to Cambrian carbonaceous rocks. Mineralization is stratiform to the north and strike lengths exceed 1,000 ft (305 m) with 200 to 500 ft (61 to 152 m) thicknesses and down dip lengths of over 1,000 ft (305 m). Bedding strikes north northwest and dips between 25 and 45° east. Shearing and faulting cause some degree of offsets and changes in orientations across the deposit (Cox et al., 2018). Although the Author has reviewed and compared the geology and structural setting of the HSRP to the Getchell Trend and the mineralization at the Turquoise Ridge and Twin Creeks mine areas, the Author has not verified the above information and such information is not necessarily indicative of the mineralization that exists or may exist on the HSRP

The Turquoise Ridge Mine has proven and probable mineral reserves totaling 17.3 million tons (15.7 million tonnes) grading 0.453 oz/ton (15.53 g/t) Au, containing 7.8 million ounces of gold. The mine also has additional measured and indicated resources totalling 7.5 million tons (6.8 million tonnes) grading 0.268 oz/ton (9.19 g/t) Au, containing 2.0 million ounces of gold. Both reserves and resources are based on an effective date of December 31, 2017 (Cox et al., 2018). The Author of this Technical Report has not visited the Property or verified the Turquoise Ridge mineral reserves and resources in detail, however, the mineral reserves were prepared by QPs in accordance with the resource categories of the Canadian Institute of Mining, Metallurgy and Petroleum (CIM) Definition Standards for Mineral Resources and Mineral Reserves dated May 10, 2014 (CIM (2014) definitions) and are considered valid. The Author does not imply any size or grade relationship between the Turquoise Ridge deposits and HSRP, and notes that this

Figure 23.1. EMNT's Hot Springs Range Project Adjacent Properties.



information is not necessarily indicative of the mineralization known or to be expected on the HSRP, which is the subject of this Technical Report.

There are several historical mercury mines that exist directly adjacent to the HSRP (Figure 23.1). The largest of these is the Cahill mine located approximately 1.2 km to the southwest. It was operated between 1941 and 1971 as a mercury mine producing approximately 1,738 flasks of mercury. Other mines in the area include the Hapgood, Wholey, Turillas, Snowdrift, George and Charlie, and the King Group mines. These mines also produced mercury and were small operations with limited production. The main structural orientations that appear to control these deposits mirror those of the Getchell Trend. The main mineralization within these deposits is cinnabar with minor stibnite in quartz veins. This mineralization is hosted in variably sandy limestone with thin shale and quartzite bands. Mineralized zones are locally silicified. Mercury and antimony are both associated with Carlin deposits and may represent more distal mineralization.

24 Other Relevant Data and Information

The author is not aware of any other information or data relevant to the Hot Springs Range Project.

25 Interpretation and Conclusions

25.1 Results and Interpretations

The Hot Springs Range Project is located in Humboldt County, Nevada, USA at the northern extent of the Hot Springs Range, and east in the Eden Valley, approximately 50 km (31 miles) northeast of the town of Winnemucca and 22 km (13.75 miles) east of Paradise Valley. The HSRP is an early-stage exploration property close to the Battle Mountain and Getchell Trends of gold mineralization in north central Nevada known for current and past producing mines including the Getchell, Turquoise Ridge and Twin Creeks mines.

Regionally, the Property is well situated near the intersection of the Getchell and Battle Mountain Gold Trends in north-central Nevada. Both trends host Carlin-type gold deposits hosted within Paleozoic sedimentary rocks of the same, or similar age, to those exposed (or thought to be present beneath cover) at the Property. Specifically, the geological setting of the Property has similarities to those of the nearby Turquoise Ridge and Twin Creeks gold mines. Locally, in the area immediately surrounding the Property, there are several historical mercury mines. The presence of these historical mines and occurrences indicate that a hydrothermal event has occurred in the area. Finally, prospecting work conducted by MGC personnel during exploration has recently identified evidence of hydrothermal alteration in the form of quartz, hematite, jasperoid veins and breccias along with assays of up to 2.85 ppm Au in rock grab samples.

The structural setting, with its similarities to the Turquoise Ridge to Twin Creeks mine area in the Getchell Trend, along with the presence of hydrothermal alteration and pathfinder geochemistry in Paleozoic sedimentary rocks indicates that there is potential for the presence of Carlin-style gold mineralization at the HSRP. Based upon the proximity of the Property to nearby gold deposits comprising the Getchell and Battle Mountain gold trends, and the presence of favourable geological characteristics at the Property, it is the opinion of the Author of this report that the HSRP represents a reasonable target for early-stage exploration for Carlin-type gold mineralization. As a result, additional exploration work, including drill testing, on the Hot Springs Range Property is warranted.

The HSRP began as a conceptual Carlin-style exploration target based on observed similarities to the Getchell gold system. The original concept is well supported by the initial geochemical results and mapping programs, along with the results of the geophysical survey detailed in this report. The results from these exploration programs are encouraging and warrant follow up exploration. The exploration target was originally based upon the evaluation of structures and Paleozoic stratigraphy both covered and exposed in a similar structural setting to that of the Getchell Gold Trend approximately 15 miles (21 km) to the southeast. To date, soil and rock sample results together with geological mapping and CSAMT geophysics all support the original concept of Carlin-style potential at the Otis target under a thin cover of post mineralization basalt. The Eden target is completely covered with post-mineralization basalt, Tertiary and Quaternary cover, and still yields anomalous geochemistry and geophysics indicating the potential existence of the inferred mineralized feeder structures and thrust fault at depth.

The geochemical results, mapping, and CSAMT survey confirm and strengthen the exploration model presented in the 2020 Technical Report (Dufresne, 2020) indicating targets worthy of drill testing at Otis and Eden (Figures 9.6 and 9.7). The location of the Eden and Otis zones and related geochemistry and fault architecture, show a marked similarity to that present at the Getchell and Twin Creeks deposits (Figure 9.8). The Otis and Eden targets warrant drill testing.

25.2 Risks and Uncertainties

The Author has considered risks and uncertainties that could reasonably be expected to affect exploration and development of the HSRP. The Property is subject to the typical external risks that apply to all early-stage mineral exploration projects, including basic inherent technical risk associated with making new discoveries, as well as external factors such as changes in gold prices, and volatility of supply and demand economics which can affect the availability of investment capital as well as changes in government regulations, community engagement and general environmental concerns. The author is unaware of any unusual risk factors, other than the ones mentioned above and risks normally associated with early-stage mineral exploration that might affect future exploration work and potential development of the Property.

26 Recommendations

The Hot Springs Range Property is in north-central Nevada proximal to the Getchell and Battle Mountain gold trends. Initial work recommended by the Dufresne (2020) Technical Report was undertaken in 2020 and successfully completed in 2021. The surface exploration results successfully confirmed the original conceptual target: rock samples returned > 1 g/t gold from a Carlin-style host rock along with the mapping and CSAMT survey, which confirmed the presence and orientation of both Getchell style feeder faults and low angle faults.

To follow up on these surface and geophysical results, an initial phase of drilling of ~10 core holes totaling approximately 4,500 m of should be completed. The drill holes should be designed to test feeder fault - thrust - host rock intersections. The total cost to complete the drill program is approximately \$USD1,725,000 (Table 26.1).

Table 26.1. Proposed Exploration Budget 2022.

| Activity Type | Cost/ft (all-in) | Cost/m (all-in) | Quantity (ft) | Quantity (m) | Cost US\$ |
|----------------------------|---------------------|--------------------|------------------|--------------------|-------------|
| Exploration Drilling (DDC) | \$120 | \$365 | 13,716 | 4,500 | \$1,642,500 |
| Contingency ~ 5% | | | | | \$82,500 |
| | | | | | |
| | | | | Grand Total | \$1,725,000 |

APEX Geoscience Ltd. EGBC Permit# 1003016 APEGA Permit# P5824

Michael Dufresne, M.Sc., P.Geol., P.Geo.

Edmonton, Alberta, Canada

June 10th, 2022

PERMIT TO PRACTICE
APEX GEOSCIENCE LTD.

RM SIGNATURE:
RM APEGA ID #: 48439
DATE: June 10, 2022
PERMIT NUMBER: P005824
The Association of Professional Engineers and Geoscientists of Alberta (APEGA)

27 References

- Bettles, K. (2002): Exploration and Geology, 1962-2002, at the Goldstrike Property, *in* Thompson, T.B., Teal, L., and Meeuwig, R., eds., Gold Deposits of the Carlin Trend: Nevada Bureau of Mines and Geology Bulletin 111, p. 54-75.
- Burghardt, M.L and Zobell, G.H. (2022): Title Opinion Hot Springs Range Project dated April 14th, 2022 with an effective date of February 18th, 2022, 43 p.
- Cox, J.J., Valliant, W.W., Altman, K.A., Geusebroek, P.A. (2018): Technical Report on The Turquoise Ridge Mine, State of Nevada, U.S.A., Barrick Gold Corporation.
- Clode, C.H., Grusing, S.R., Johnston, I.M., and Heitt, D.G. (2002): Geology of the Deep Star Gold Deposit, *in* Thompson, T.B., Teal, L., and Meeuwig, R., eds., Gold Deposits of the Carlin Trend: Nevada Bureau of Mines and Geology Bulletin 111, p. 76-90.
- Dufresne, M., (2020): Technical Report on the Hot Springs Range Project, Humbolt County, Nevada, USA.
- Emsbo, P., Groves, D.I., Hofstra, A.H., and Bierlein, F.P. (2006): The giant Carlin gold province: a protracted interplay of orogenic, basinal, and hydrothermal processes above a lithospheric boundary.
- Hotz, P.E., and Willden, R. (1964): Geology and mineral deposits of the Osgood Mountains quadrangle, Humboldt County, Nevada: U.S. Geological Survey Professional Paper 431, 128p.
- Jackson, M.R., Lane, M., and Leach, B. (2002): Geology of the West Leeville Deposit, *in* Thompson, T.B., Teal, L., and Meeuwig, R., eds., Gold Deposits of the Carlin Trend: Nevada Bureau of Mines and Geology Bulletin 111, p. 106-114.
- Jones, A.E. (1997): Geologic map of the Hot Spring Peak quadrangle and the southeastern part of the Little Poverty quadrangle, Nevada, Nevada Bureau of Mines and Geology, Nevada Bureau of Mines and Geology, scale 1:24,000
- Ketner, K.B. (2008): The Inskip Formation, the Harmony Formation, and the Havallah Sequence of Northwestern Nevada-An Interrelated Paleozoic Assemblage in the Home of the Sonoma Orogeny: U.S. Geological Survey Professional Paper 1757, 21 p.
- Lund, K. (2008): Geometry of the Neoproterzoic and Paleozoic rift margin of western Laurentia: Implications for mineral deposit settings, in Tosdal, R. M., ed., Contributions to the Gold Metallogeny of Northern Nevada, 98-338: Washington, D.C., United States Geological Survey
- Milliard, A.K., Ressel, M.R. (2018): Temporal and Spatial Constrains on Carlin-Type Gold Deposits at the Pequop Mountains, Nevada: Society of Economic Geologists Annual Meeting, Keystone, CO, 2018.
- Muntean, J.L., Davis, D.A., and Ayling, B., (2018): The Nevada Mineral Industry 2017 [online version]: Nevada Bureau of Mines and Geology Special Publication MI-2017, 212 p.

- Oldow, J.S. (1984): Evolution of a late Mesozoic back-arc fold and thrust belt, northwestern Great Basin, USA: Tectonophysics, v.102, 245-274p.
- Teal, Lewis and Jackson, Mac, (1997): Geologic Overview of the Carlin Trend Gold Deposits and Description of Recent Deep Discoveries, in Carlin-Type Gold Deposits Field Conference edited by Peter Vikre, Tommy B. Thompson, Keith Bettles, Odin Christensen, and Ron Parratt, Society of Economic Geologists Guidebook Series, Volume 28, p 3-37.

28 Certificate of Author

- I, Michael Dufresne, M.Sc., P. Geol., P.Geo., do hereby certify that:
- 1. I am President and a Principal of APEX Geoscience Ltd., Suite 100, 11450 160th Street NW, Edmonton, AB, Canada, T5M 3Y7.
- 2. I graduated with a B.Sc. in Geology from the University of North Carolina at Wilmington in 1983 and with a M.Sc. in Economic Geology from the University of Alberta in 1987.
- 3. I am and have been registered as a Professional Geologist with the Association of Professional Engineers and Geoscientists ("APEGA") of Alberta since 1989. I have been registered as a Professional Geologist with the association of Professional Engineers and Geoscientists of BC since 2012.
- 4. I have worked as a geologist for more than 35 years since my graduation from University and have extensive experience with exploration for, and the evaluation of, gold deposits of various types, including epithermal, sediment-hosted, intrusion related and Carlin-style mineralization.
- 5. I have read the definition of "Qualified Person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association (as defined in NI 43-101) and past relevant work experience, I fulfill the requirements to be a "Qualified Person" for the purposes of NI 43-101.
- 6. I am responsible for and have directly supervised the preparation of all sections of the "Technical Report For The Hot Spring Range Project, Humboldt County, Nevada, USA", with an effective date of June 1st, 2022 (the "Technical Report"). I visited the Hot Spring Range Property on the 26th of February, 2020 and March 22nd, 2022.
- 7. To the best of my knowledge, information and belief, the Technical Report contains all relevant scientific and technical information that is required to be disclosed, to make the Technical Report not misleading.
- 8. I have read National Instrument 43-101 and Form 43-101F1, and the Technical Report has been prepared in compliance with that instrument and form.
- 9. I am independent of the issuer, the vendor and the Property applying all of the tests in section 1.5 of both NI 43-101 and 43-101CP.
- 10. I have had prior involvement with the Property as the QP and sole author of the initial Technical Report on behalf of the issuer in March, 2020.
- 11.I consent to the filing of the Technical Report with any stock exchange and other regulatory authority and any publication by them for regulatory purposes, including electronic publication in the public company files or their websites.

Signing date: June 10th, 2022 Edmonton, Alberta, Canada

Michael Dufresne, M.Sc., P. Geol., P.Geo.

APPENDIX 1 Units and Conversions

Dollar amountPercent

- Minutes (in the context of latitude and longitude coordinates)
 - Seconds (in the context of latitude and longitude coordinates)

° - Degrees

°C - Degrees Celsius °F - Degrees Fahrenheit

%RS - Percentage of the Standard Deviation to the Mean

AA/AAS - Atomic Absorption (Spectrometry)

ac - Acre (0.0040469 km²)

Ag - Silver

ALS - ALS Global (analytical laboratories)

APEX - APEX Geoscience Ltd.

As - Arsenic Au - Gold

Barrrick - Barrick Gold Corp.

BLM - Bureau of Land Management, U.S. Department of the Interior

CDN - Canadian Dollar

CHIINV - Chi Inverse statistical Anlaysiscm - Centimeter (0.3937 in)

Corp. -Corporation

CSAMT - Controlled Source Audio MagnetoTellurics

Cu - Copper

EM - Electromagneticet al. - and othersFA - Fire Assay

FA-AA - Fire Assay with Atomic Absorption (Spectrometry) finish

Fm - Formation ft - Feet (0.3048 m)

g - Gram

g/t - Grams per tonne (equivalent to ppm, 1 g/t Au = 0.29167 oz/ton Au)

GIS - Geographic Information System
GPS - Global Positioning System
GSR - Gross Smelter Royaly
GSV - Gold Standard Ventures Corp.
Hz - Hertz (cycles per second)

Hg - Mercury

ICP - Inductively Coupled Plasma geochemical analysis

(ICP-AES, Atomic Emissions Spectrometry and ICP-MS, Mass Spectrometry)

ID² - Inverse Distance Squared

in - Inch (2.54 cm)
Inc. - Incorporated
IP - Induced Polarization

ISO - International Standards Organization

kg - Kilogram (2.2046 lbs) **km** - Kilometers (0.6214 mi)

km² - Square Kilometers (247.105 acres)

Ib(s) - Pound(s) **m** - Meter (3.2808 ft)

M - Million

mi - Mile (1.6093 km)MIK - Multiple Indicator Kriging

ml - Milliliters mm - Millimeters Mt - Million tonnes

N - North

NAD - North American Datum (NAD27 – 1927 datum, NAD83 – 1983 datum)

Newmont - Newmont Mining Corporation

NI - National Instrument
NOI - Notice of Intent
NPV - Net Profit Interest

NV - Nevada

NSR - Net Smelter Returns Royalty

oz - ounce (always referring to troy ounce when referring to gold grade)

- ounces (eg. Gold) per short ton (equivalent to ounce per ton – opt or 1 oz/st = 34.2857 g/t or

ppm)

Pb - Lead

PLSS - Public Land Survey System

PoO - Plan of Operations ppb - Parts per billion

- Parts per million (equivalent to grams per tonne, 1 g/t Au = 0.29167 oz/ton Au)

QAQC - Quality Assurance and Quality Control

QC - Quality Control

R
 RC - Reverse Circulation Drilling
 RMT - Roberts Mountain Thrust
 SAD - Surface Area Disturbance
 SD - Standard Deviation

SG - Specific Gravity or Density
SGS - SGS Mineral Services
st - short ton (2,000 lbs)

SW - Southwest

t - metric tonne (1000 kg = 2,204.6 lbs)
T - Township (as in T30N, R53E)
ton - imperial ton or short ton (2,000 lbs)

USA - United States of America

USD - US Dollar

UTM - Universal Transverse Mercator

wt % - Weight percentage

Zn - Zinc

APPENDIX 2 Hot Springs Range Project Claims List

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-----------------------------|------------------------------------|-----------------|
| HSRP 147 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940611 | 20.66 |
| HSRP 148 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940612 | 20.66 |
| HSRP 149 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940613 | 20.66 |
| HSRP 150 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940614 | 20.66 |
| HSRP 151 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940615 | 20.66 |
| HSRP 152 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940616 | 20.66 |
| HSRP 153 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940617 | 20.66 |
| HSRP 154 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940618 | 20.66 |
| HSRP 155 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940619 | 20.66 |
| HSRP 156 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940620 | 20.66 |
| HSRP 179 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940621 | 20.66 |
| HSRP 180 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101940622 | 20.66 |
| HSRP 181 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941801 | 20.66 |
| HSRP 182 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941802 | 20.66 |
| HSRP 183 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941803 | 20.66 |
| HSRP 184 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941804 | 20.66 |
| HSRP 185 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941805 | 20.66 |
| HSRP 186 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941806 | 20.66 |
| HSRP 187 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941807 | 20.66 |
| HSRP 188 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941808 | 20.66 |
| HSRP 189 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941809 | 20.66 |
| HSRP 190 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941810 | 20.66 |
| HSRP 191 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941811 | 20.66 |
| HSRP 192 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941812 | 20.66 |
| HSRP 193 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941813 | 20.66 |
| HSRP 194 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941814 | 20.66 |
| HSRP 195 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941815 | 20.66 |
| HSRP 196 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941816 | 20.66 |
| HSRP 197 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941817 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-----------------------------|------------------------------------|-----------------|
| HSRP 198 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941818 | 20.66 |
| HSRP 199 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941819 | 20.66 |
| HSRP 200 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941820 | 20.66 |
| HSRP 201 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101941821 | 20.66 |
| HSRP 202 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942801 | 20.66 |
| HSRP 203 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942802 | 20.66 |
| HSRP 204 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942803 | 20.66 |
| HSRP 205 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942804 | 20.66 |
| HSRP 206 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942805 | 20.66 |
| HSRP 207 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942806 | 20.66 |
| HSRP 208 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942807 | 20.66 |
| HSRP 209 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942808 | 20.66 |
| HSRP 210 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942809 | 20.66 |
| HSRP 211 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942810 | 20.66 |
| HSRP 212 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942811 | 20.66 |
| HSRP 213 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942812 | 20.66 |
| HSRP 214 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942813 | 20.66 |
| HSRP 215 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942814 | 20.66 |
| HSRP 216 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942815 | 20.66 |
| HSRP 217 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942816 | 20.66 |
| HSRP 218 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942817 | 20.66 |
| HSRP 219 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942818 | 20.66 |
| HSRP 220 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942819 | 20.66 |
| HSRP 221 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942820 | 20.66 |
| HSRP 222 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101942821 | 20.66 |
| HSRP 223 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944001 | 20.66 |
| HSRP 224 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944002 | 20.66 |
| HSRP 225 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944003 | 20.66 |
| HSRP 226 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944004 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-----------------------------|------------------------------------|-----------------|
| HSRP 227 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944005 | 20.66 |
| HSRP 228 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944006 | 20.66 |
| HSRP 229 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944007 | 20.66 |
| HSRP 230 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944008 | 20.66 |
| HSRP 231 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944009 | 20.66 |
| HSRP 232 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944010 | 20.66 |
| HSRP 233 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944011 | 20.66 |
| HSRP 234 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944012 | 20.66 |
| HSRP 235 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944013 | 20.66 |
| HSRP 236 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944014 | 20.66 |
| HSRP 237 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944015 | 20.66 |
| HSRP 238 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944016 | 20.66 |
| HSRP 239 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944017 | 20.66 |
| HSRP 240 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944018 | 20.66 |
| HSRP 241 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944019 | 20.66 |
| HSRP 242 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944020 | 20.66 |
| HSRP 243 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101944021 | 20.66 |
| HSRP 244 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945201 | 20.66 |
| HSRP 245 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945202 | 20.66 |
| HSRP 246 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945203 | 20.66 |
| HSRP 247 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945204 | 20.66 |
| HSRP 248 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945205 | 20.66 |
| HSRP 249 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945206 | 20.66 |
| HSRP 250 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945207 | 20.66 |
| HSRP 251 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945208 | 20.66 |
| HSRP 252 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945209 | 20.66 |
| HSRP 253 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945210 | 20.66 |
| HSRP 254 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945211 | 20.66 |
| HSRP 255 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945212 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-----------------------------|------------------------------------|-----------------|
| HSRP 256 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945213 | 20.66 |
| HSRP 257 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945214 | 20.66 |
| HSRP 258 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945215 | 20.66 |
| HSRP 259 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945216 | 20.66 |
| HSRP 260 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945217 | 20.66 |
| HSRP 261 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945218 | 20.66 |
| HSRP 262 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945219 | 20.66 |
| HSRP 263 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945220 | 20.66 |
| HSRP 264 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101945221 | 20.66 |
| HSRP 265 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946201 | 20.66 |
| HSRP 266 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946202 | 20.66 |
| HSRP 267 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946203 | 20.66 |
| HSRP 268 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946204 | 20.66 |
| HSRP 269 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946205 | 20.66 |
| HSRP 270 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946206 | 20.66 |
| HSRP 271 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946207 | 20.66 |
| HSRP 272 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946208 | 20.66 |
| HSRP 273 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946209 | 20.66 |
| HSRP 274 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946210 | 20.66 |
| HSRP 275 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946211 | 20.66 |
| HSRP 276 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946212 | 20.66 |
| HSRP 277 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946213 | 20.66 |
| HSRP 278 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946214 | 20.66 |
| HSRP 279 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946215 | 20.66 |
| HSRP 280 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946216 | 20.66 |
| HSRP 281 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946217 | 20.66 |
| HSRP 282 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946218 | 20.66 |
| HSRP 283 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946219 | 20.66 |
| HSRP 284 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946220 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-----------------------------|------------------------------------|-----------------|
| HSRP 285 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV101946221 | 20.66 |
| HSRP 307 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102120601 | 20.66 |
| HSRP 308 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102120602 | 20.66 |
| HSRP 309 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102120603 | 20.66 |
| HSRP 310 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102120604 | 20.66 |
| HSRP 311 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102120605 | 20.66 |
| HSRP 286 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159401 | 20.66 |
| HSRP 287 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159402 | 20.66 |
| HSRP 288 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159403 | 20.66 |
| HSRP 289 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159404 | 20.66 |
| HSRP 290 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159405 | 20.66 |
| HSRP 291 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159406 | 20.66 |
| HSRP 292 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159407 | 20.66 |
| HSRP 293 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159408 | 20.66 |
| HSRP 294 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159409 | 20.66 |
| HSRP 295 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159410 | 20.66 |
| HSRP 296 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159411 | 20.66 |
| HSRP 297 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159412 | 20.66 |
| HSRP 298 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159413 | 20.66 |
| HSRP 299 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159414 | 20.66 |
| HSRP 300 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159415 | 20.66 |
| HSRP 301 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159416 | 20.66 |
| HSRP 302 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159417 | 20.66 |
| HSRP 303 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159418 | 20.66 |
| HSRP 304 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159419 | 20.66 |
| HSRP 305 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159420 | 20.66 |
| HSRP 306 | Unpatented lode claim | Mineral | 16-Dec-20 | Hot Springs Resources Corp. | NV102159421 | 20.66 |
| HSRP 312 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230072 | 20.66 |
| HSRP 313 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230073 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-----------------------------|------------------------------------|-----------------|
| HSRP 314 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230074 | 20.66 |
| HSRP 315 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230075 | 20.66 |
| HSRP 316 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230076 | 20.66 |
| HSRP 317 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230077 | 20.66 |
| HSRP 318 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230078 | 20.66 |
| HSRP 319 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230079 | 20.66 |
| HSRP 320 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230080 | 20.66 |
| HSRP 321 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230081 | 20.66 |
| HSRP 322 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230082 | 20.66 |
| HSRP 323 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230083 | 20.66 |
| HSRP 324 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230084 | 20.66 |
| HSRP 325 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230085 | 20.66 |
| HSRP 326 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230086 | 20.66 |
| HSRP 327 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230087 | 20.66 |
| HSRP 328 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230088 | 20.66 |
| HSRP 329 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230089 | 20.66 |
| HSRP 330 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230090 | 20.66 |
| HSRP 331 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230091 | 20.66 |
| HSRP 332 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230092 | 20.66 |
| HSRP 333 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230093 | 20.66 |
| HSRP 334 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230094 | 20.66 |
| HSRP 335 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230095 | 20.66 |
| HSRP 336 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230096 | 20.66 |
| HSRP 337 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230097 | 20.66 |
| HSRP 338 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230098 | 20.66 |
| HSRP 339 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230099 | 20.66 |
| HSRP 340 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230100 | 20.66 |
| HSRP 341 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230101 | 20.66 |
| HSRP 342 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230102 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-----------------------------|------------------------------------|-----------------|
| HSRP 343 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230103 | 20.66 |
| HSRP 344 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230104 | 20.66 |
| HSRP 345 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230105 | 20.66 |
| HSRP 346 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230106 | 20.66 |
| HSRP 347 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230107 | 20.66 |
| HSRP 348 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230108 | 20.66 |
| HSRP 349 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230109 | 20.66 |
| HSRP 350 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230110 | 20.66 |
| HSRP 351 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230111 | 20.66 |
| HSRP 352 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230112 | 20.66 |
| HSRP 353 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230113 | 20.66 |
| HSRP 354 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230114 | 20.66 |
| HSRP 355 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230115 | 20.66 |
| HSRP 356 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230116 | 20.66 |
| HSRP 357 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230117 | 20.66 |
| HSRP 358 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230118 | 20.66 |
| HSRP 359 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230119 | 20.66 |
| HSRP 360 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230120 | 20.66 |
| HSRP 361 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230121 | 20.66 |
| HSRP 362 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230122 | 20.66 |
| HSRP 363 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230123 | 20.66 |
| HSRP 364 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230124 | 20.66 |
| HSRP 365 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230125 | 20.66 |
| HSRP 366 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230126 | 20.66 |
| HSRP 367 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230127 | 20.66 |
| HSRP 368 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230128 | 20.66 |
| HSRP 369 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230129 | 20.66 |
| HSRP 370 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230130 | 20.66 |
| HSRP 371 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230131 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-------------------------------------|------------------------------------|-----------------|
| HSRP 372 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230132 | 20.66 |
| HSRP 373 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230133 | 20.66 |
| HSRP 374 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230134 | 20.66 |
| HSRP 375 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230135 | 20.66 |
| HSRP 376 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230136 | 20.66 |
| HSRP 377 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230137 | 20.66 |
| HSRP 378 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230138 | 20.66 |
| HSRP 379 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230139 | 20.66 |
| HSRP 381 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230141 | 20.66 |
| HSRP 382 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230142 | 20.66 |
| HSRP 383 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230143 | 20.66 |
| HSRP 384 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230144 | 20.66 |
| HSRP 385 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230145 | 20.66 |
| HSRP 386 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230146 | 20.66 |
| HSRP 387 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230147 | 20.66 |
| HSRP 388 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230148 | 20.66 |
| HSRP 380 | Unpatented lode claim | Mineral | 22-Mar-21 | Hot Springs Resources Corp. | NV105230140 | 20.66 |
| SBI 1 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551326 | 20.66 |
| SBI 2 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551327 | 20.66 |
| SBI 3 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551328 | 20.66 |
| SBI 4 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551329 | 20.66 |
| SBI 5 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551330 | 20.66 |
| S S 1 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553538 | 20.66 |
| S S 2 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553539 | 20.66 |
| S S 3 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553540 | 20.66 |
| S S 4 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553541 | 20.66 |
| S S 5 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553542 | 20.66 |
| RAMS 1 | Unpatented lode claim | Mineral | 15-Aug-19 | Milliard Geological Consulting, LLC | NV101554767 | 20.66 |
| RAMS 2 | Unpatented lode claim | Mineral | 15-Aug-19 | Milliard Geological Consulting, LLC | NV101554768 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-------------------------------------|------------------------------------|-----------------|
| RAMS 3 | Unpatented lode claim | Mineral | 15-Aug-19 | Milliard Geological Consulting, LLC | NV101554769 | 20.66 |
| RAMS 4 | Unpatented lode claim | Mineral | 15-Aug-19 | Milliard Geological Consulting, LLC | NV101554770 | 20.66 |
| RAMS 5 | Unpatented lode claim | Mineral | 15-Aug-19 | Milliard Geological Consulting, LLC | NV101554771 | 20.66 |
| RAMS 6 | Unpatented lode claim | Mineral | 15-Aug-19 | Milliard Geological Consulting, LLC | NV101554772 | 20.66 |
| RAMS 7 | Unpatented lode claim | Mineral | 15-Aug-19 | Milliard Geological Consulting, LLC | NV101554773 | 20.66 |
| RAMS 8 | Unpatented lode claim | Mineral | 15-Aug-19 | Milliard Geological Consulting, LLC | NV101554774 | 20.66 |
| RAMS 9 | Unpatented lode claim | Mineral | 15-Aug-19 | Milliard Geological Consulting, LLC | NV101554775 | 20.66 |
| RAMS 10 | Unpatented lode claim | Mineral | 15-Aug-19 | Milliard Geological Consulting, LLC | NV101554776 | 20.66 |
| QEH 1 | Unpatented lode claim | Mineral | 20-Aug-19 | Milliard Geological Consulting, LLC | NV101556397 | 20.66 |
| QEH 2 | Unpatented lode claim | Mineral | 20-Aug-19 | Milliard Geological Consulting, LLC | NV101556398 | 20.66 |
| QEH 3 | Unpatented lode claim | Mineral | 20-Aug-19 | Milliard Geological Consulting, LLC | NV101556399 | 20.66 |
| QEH 4 | Unpatented lode claim | Mineral | 20-Aug-19 | Milliard Geological Consulting, LLC | NV101556400 | 20.66 |
| QEH 5 | Unpatented lode claim | Mineral | 20-Aug-19 | Milliard Geological Consulting, LLC | NV101557296 | 20.66 |
| QEH 6 | Unpatented lode claim | Mineral | 20-Aug-19 | Milliard Geological Consulting, LLC | NV101557297 | 20.66 |
| QEH 7 | Unpatented lode claim | Mineral | 20-Aug-19 | Milliard Geological Consulting, LLC | NV101557298 | 20.66 |
| QEH 8 | Unpatented lode claim | Mineral | 20-Aug-19 | Milliard Geological Consulting, LLC | NV101557299 | 20.66 |
| QEH 9 | Unpatented lode claim | Mineral | 20-Aug-19 | Milliard Geological Consulting, LLC | NV101557300 | 20.66 |
| QEH 10 | Unpatented lode claim | Mineral | 20-Aug-19 | Milliard Geological Consulting, LLC | NV101557301 | 20.66 |
| QSR 1 | Unpatented lode claim | Mineral | 30-Jul-19 | Milliard Geological Consulting, LLC | NV101870141 | 20.66 |
| QSR 2 | Unpatented lode claim | Mineral | 30-Jul-19 | Milliard Geological Consulting, LLC | NV101870142 | 20.66 |
| QSR 3 | Unpatented lode claim | Mineral | 30-Jul-19 | Milliard Geological Consulting, LLC | NV101870143 | 20.66 |
| QSR 4 | Unpatented lode claim | Mineral | 30-Jul-19 | Milliard Geological Consulting, LLC | NV101870144 | 20.66 |
| QSR 5 | Unpatented lode claim | Mineral | 30-Jul-19 | Milliard Geological Consulting, LLC | NV101870145 | 20.66 |
| QSR 6 | Unpatented lode claim | Mineral | 30-Jul-19 | Milliard Geological Consulting, LLC | NV101870146 | 20.66 |
| QSR 7 | Unpatented lode claim | Mineral | 30-Jul-19 | Milliard Geological Consulting, LLC | NV101870147 | 20.66 |
| QSR 8 | Unpatented lode claim | Mineral | 30-Jul-19 | Milliard Geological Consulting, LLC | NV101870148 | 20.66 |
| QSR 9 | Unpatented lode claim | Mineral | 30-Jul-19 | Milliard Geological Consulting, LLC | NV101870149 | 20.66 |
| QSR 10 | Unpatented lode claim | Mineral | 30-Jul-19 | Milliard Geological Consulting, LLC | NV101870150 | 20.66 |
| A E M 1 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712720 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-------------------------------------|------------------------------------|-----------------|
| A E M 2 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712721 | 20.66 |
| A E M 3 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712722 | 20.66 |
| A E M 4 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712723 | 20.66 |
| A E M 5 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712724 | 20.66 |
| A E M 6 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712725 | 20.66 |
| A E M 7 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712726 | 20.66 |
| A E M 8 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712727 | 20.66 |
| A E M 9 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712728 | 20.66 |
| A E M 10 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712729 | 20.66 |
| PVS 1 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551331 | 20.66 |
| NVX 1 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551332 | 20.66 |
| NVX 2 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551333 | 20.66 |
| NVX 3 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551334 | 20.66 |
| NVX 4 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551335 | 20.66 |
| NVX 5 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551336 | 20.66 |
| NVX 6 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101551337 | 20.66 |
| NVX 7 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552337 | 20.66 |
| NVX 8 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552338 | 20.66 |
| NVX 9 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552339 | 20.66 |
| NVX 10 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552340 | 20.66 |
| JEBBZ 1 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552341 | 20.66 |
| JEBBZ 2 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552342 | 20.66 |
| JEBBZ 3 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552343 | 20.66 |
| JEBBZ 4 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552344 | 20.66 |
| JEBBZ 5 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552345 | 20.66 |
| JEBBZ 6 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552346 | 20.66 |
| JEBBZ 7 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552347 | 20.66 |
| JEBBZ 8 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552348 | 20.66 |
| JEBBZ 9 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552349 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-------------------------------------|------------------------------------|-----------------|
| JEBBZ 10 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101552350 | 20.66 |
| PVS 2 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553543 | 20.66 |
| PVS 3 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553544 | 20.66 |
| PVS 4 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553545 | 20.66 |
| PVS 5 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553546 | 20.66 |
| PVS 6 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553547 | 20.66 |
| PVS 7 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553548 | 20.66 |
| PVS 8 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553549 | 20.66 |
| PVS 9 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553550 | 20.66 |
| PVS 10 | Unpatented lode claim | Mineral | 01-Aug-19 | Milliard Geological Consulting, LLC | NV101553551 | 20.66 |
| GOOSE 1 | Unpatented lode claim | Mineral | 05-Aug-19 | Milliard Geological Consulting, LLC | NV101554741 | 20.66 |
| GOOSE 2 | Unpatented lode claim | Mineral | 05-Aug-19 | Milliard Geological Consulting, LLC | NV101554742 | 20.66 |
| GOOSE 3 | Unpatented lode claim | Mineral | 05-Aug-19 | Milliard Geological Consulting, LLC | NV101554743 | 20.66 |
| GOOSE 4 | Unpatented lode claim | Mineral | 05-Aug-19 | Milliard Geological Consulting, LLC | NV101554744 | 20.66 |
| GOOSE 5 | Unpatented lode claim | Mineral | 05-Aug-19 | Milliard Geological Consulting, LLC | NV101554745 | 20.66 |
| GOOSE 6 | Unpatented lode claim | Mineral | 05-Aug-19 | Milliard Geological Consulting, LLC | NV101554746 | 20.66 |
| GOOSE 7 | Unpatented lode claim | Mineral | 05-Aug-19 | Milliard Geological Consulting, LLC | NV101554747 | 20.66 |
| GOOSE 8 | Unpatented lode claim | Mineral | 05-Aug-19 | Milliard Geological Consulting, LLC | NV101554748 | 20.66 |
| GOOSE 9 | Unpatented lode claim | Mineral | 05-Aug-19 | Milliard Geological Consulting, LLC | NV101554749 | 20.66 |
| GOOSE 10 | Unpatented lode claim | Mineral | 05-Aug-19 | Milliard Geological Consulting, LLC | NV101554750 | 20.66 |
| ADM 1 | Unpatented lode claim | Mineral | 07-Aug-19 | Milliard Geological Consulting, LLC | NV101556949 | 20.66 |
| ADM 2 | Unpatented lode claim | Mineral | 07-Aug-19 | Milliard Geological Consulting, LLC | NV101556950 | 20.66 |
| ADM 3 | Unpatented lode claim | Mineral | 07-Aug-19 | Milliard Geological Consulting, LLC | NV101556951 | 20.66 |
| ADM 4 | Unpatented lode claim | Mineral | 07-Aug-19 | Milliard Geological Consulting, LLC | NV101556952 | 20.66 |
| ADM 5 | Unpatented lode claim | Mineral | 07-Aug-19 | Milliard Geological Consulting, LLC | NV101556953 | 20.66 |
| ADM 6 | Unpatented lode claim | Mineral | 07-Aug-19 | Milliard Geological Consulting, LLC | NV101556954 | 20.66 |
| ADM 7 | Unpatented lode claim | Mineral | 07-Aug-19 | Milliard Geological Consulting, LLC | NV101556955 | 20.66 |
| ADM 8 | Unpatented lode claim | Mineral | 07-Aug-19 | Milliard Geological Consulting, LLC | NV101556956 | 20.66 |
| ADM 9 | Unpatented lode claim | Mineral | 07-Aug-19 | Milliard Geological Consulting, LLC | NV101556957 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|--------------|-----------------------|---------|------------|-------------------------------------|------------------------------------|-----------------|
| ADM 10 | Unpatented lode claim | Mineral | 07-Aug-19 | Milliard Geological Consulting, LLC | NV101556958 | 20.66 |
| DRAILLIM 1 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101711530 | 20.66 |
| DRAILLIM 2 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101711531 | 20.66 |
| DRAILLIM 3 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101711532 | 20.66 |
| DRAILLIM 4 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101711533 | 20.66 |
| DRAILLIM 5 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101711534 | 20.66 |
| DRAILLIM 6 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101711535 | 20.66 |
| DRAILLIM 7 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101711536 | 20.66 |
| PORSCHE 1 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101712336 | 20.66 |
| PORSCHE 2 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101712337 | 20.66 |
| DRAILLIM 8 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712717 | 20.66 |
| DRAILLIM 9 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712718 | 20.66 |
| DRAILLIM 10 | Unpatented lode claim | Mineral | 23-Jul-19 | Milliard Geological Consulting, LLC | NV101712719 | 20.66 |
| MILLIARDS 1 | Unpatented lode claim | Mineral | 24-Jul-19 | Milliard Geological Consulting, LLC | NV101712742 | 20.66 |
| MILLIARDS 2 | Unpatented lode claim | Mineral | 24-Jul-19 | Milliard Geological Consulting, LLC | NV101712743 | 20.66 |
| MILLIARDS 3 | Unpatented lode claim | Mineral | 24-Jul-19 | Milliard Geological Consulting, LLC | NV101712744 | 20.66 |
| MILLIARDS 4 | Unpatented lode claim | Mineral | 24-Jul-19 | Milliard Geological Consulting, LLC | NV101712745 | 20.66 |
| MILLIARDS 5 | Unpatented lode claim | Mineral | 24-Jul-19 | Milliard Geological Consulting, LLC | NV101712746 | 20.66 |
| MILLIARDS 6 | Unpatented lode claim | Mineral | 24-Jul-19 | Milliard Geological Consulting, LLC | NV101712747 | 20.66 |
| MILLIARDS 7 | Unpatented lode claim | Mineral | 24-Jul-19 | Milliard Geological Consulting, LLC | NV101712748 | 20.66 |
| MILLIARDS 8 | Unpatented lode claim | Mineral | 24-Jul-19 | Milliard Geological Consulting, LLC | NV101712749 | 20.66 |
| MILLIARDS 9 | Unpatented lode claim | Mineral | 24-Jul-19 | Milliard Geological Consulting, LLC | NV101712750 | 20.66 |
| MILLIARDS 10 | Unpatented lode claim | Mineral | 24-Jul-19 | Milliard Geological Consulting, LLC | NV101712751 | 20.66 |
| PORSCHE 3 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713510 | 20.66 |
| PORSCHE 4 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713511 | 20.66 |
| PORSCHE 5 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713512 | 20.66 |
| PORSCHE 6 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713513 | 20.66 |
| PORSCHE 7 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713514 | 20.66 |
| PORSCHE 8 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713515 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|-------------|-----------------------|---------|------------|-------------------------------------|------------------------------------|-----------------|
| PORSCHE 9 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713516 | 20.66 |
| PORSCHE 10 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713517 | 20.66 |
| HOLLYPOP 1 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713518 | 20.66 |
| HOLLYPOP 2 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713519 | 20.66 |
| HOLLYPOP 3 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713520 | 20.66 |
| HOLLYPOP 4 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713521 | 20.66 |
| HOLLYPOP 5 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713522 | 20.66 |
| HOLLYPOP 6 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713523 | 20.66 |
| HOLLYPOP 7 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713524 | 20.66 |
| HOLLYPOP 8 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713525 | 20.66 |
| HOLLYPOP 9 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713526 | 20.66 |
| HOLLYPOP 10 | Unpatented lode claim | Mineral | 25-Jun-19 | Milliard Geological Consulting, LLC | NV101713527 | 20.66 |
| MGD 1 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716142 | 20.66 |
| MGD 2 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716143 | 20.66 |
| MGD 3 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716144 | 20.66 |
| MGD 4 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716145 | 20.66 |
| MGD 5 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716146 | 20.66 |
| MGD 6 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716147 | 20.66 |
| MGD 7 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716148 | 20.66 |
| MGD 8 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716149 | 20.66 |
| MGD 9 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716150 | 20.66 |
| MGD 10 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716151 | 20.66 |
| IPA1 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716152 | 20.66 |
| IPA2 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716153 | 20.66 |
| IPA3 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716154 | 20.66 |
| IPA4 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716155 | 20.66 |
| I P A 5 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716156 | 20.66 |
| IPA6 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716157 | 20.66 |
| IPA7 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101716158 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-------------------------------------|------------------------------------|-----------------|
| IPA8 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101868938 | 20.66 |
| IPA9 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101868939 | 20.66 |
| I P A 10 | Unpatented lode claim | Mineral | 26-Jul-19 | Milliard Geological Consulting, LLC | NV101868940 | 20.66 |
| COD 1 | Unpatented lode claim | Mineral | 29-Jul-19 | Milliard Geological Consulting, LLC | NV101868948 | 20.66 |
| COD 2 | Unpatented lode claim | Mineral | 29-Jul-19 | Milliard Geological Consulting, LLC | NV101868949 | 20.66 |
| COD 3 | Unpatented lode claim | Mineral | 29-Jul-19 | Milliard Geological Consulting, LLC | NV101868950 | 20.66 |
| COD 4 | Unpatented lode claim | Mineral | 29-Jul-19 | Milliard Geological Consulting, LLC | NV101868951 | 20.66 |
| COD 7 | Unpatented lode claim | Mineral | 29-Jul-19 | Milliard Geological Consulting, LLC | NV101868952 | 20.66 |
| COD 8 | Unpatented lode claim | Mineral | 29-Jul-19 | Milliard Geological Consulting, LLC | NV101868953 | 20.66 |
| COD 9 | Unpatented lode claim | Mineral | 29-Jul-19 | Milliard Geological Consulting, LLC | NV101868954 | 20.66 |
| COD 10 | Unpatented lode claim | Mineral | 29-Jul-19 | Milliard Geological Consulting, LLC | NV101868955 | 20.66 |
| HSRP 389 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258162 | 20.66 |
| HSRP 390 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258163 | 20.66 |
| HSRP 391 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258164 | 20.66 |
| HSRP 392 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258165 | 20.66 |
| HSRP 393 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258166 | 20.66 |
| HSRP 394 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258167 | 20.66 |
| HSRP 395 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258168 | 20.66 |
| HSRP 396 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258169 | 20.66 |
| HSRP 397 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258170 | 20.66 |
| HSRP 398 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258171 | 20.66 |
| HSRP 399 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258172 | 20.66 |
| HSRP 400 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258173 | 20.66 |
| HSRP 401 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258174 | 20.66 |
| HSRP 402 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258175 | 20.66 |
| HSRP 403 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258176 | 20.66 |
| HSRP 404 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258177 | 20.66 |
| HSRP 405 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258178 | 20.66 |
| HSRP 406 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258179 | 20.66 |

| Claim Name | Claim Type | Rights | Date Filed | Owner | Mineral Survey/Serial Number | Area (Acres) |
|------------|-----------------------|---------|------------|-----------------------------|------------------------------------|-----------------|
| HSRP 407 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258180 | 20.66 |
| HSRP 408 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258181 | 20.66 |
| HSRP 409 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258182 | 20.66 |
| HSRP 410 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258183 | 20.66 |
| HSRP 411 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258184 | 20.66 |
| HSRP 412 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258185 | 20.66 |
| HSRP 413 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258186 | 20.66 |
| HSRP 414 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258187 | 20.66 |
| HSRP 415 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258188 | 20.66 |
| HSRP 416 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258189 | 20.66 |
| HSRP 417 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258190 | 20.66 |
| HSRP 418 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258191 | 20.66 |
| HSRP 419 | Unpatented lode claim | Mineral | 11-Aug-21 | Hot Springs Resources Corp. | NV105258192 | 20.66 |